









Access the inaccessible®

For you — the adventurers who climb mountains, scale cliffs on rock or ice, explore caves, or chase powder; for runners and climbers who venture out during the day or into the night; at Petzl, we're committed to bringing you the best tools possible. Our customers create their own adventures, and we create solutions that help them reach their objectives, drawing from expertise that we've built from more than 50 years of experience.

In 2023, we're continuing to focus on verticality, offering new versions of mountaineering and ski mountaineering harnesses. This means the SITTA, FLY, TOUR, and ALTITUDE all have a fresh design. Additionally, we revisited our carabiners and quickdraws, bringing you entirely updated DJINN and SPIRIT products. Finally, we focused our attention on one of Petzl's bestsellers — the BOREO helmet — and overhauled the design.

We're also putting the spotlight on our lighting products in 2023! The SWIFT RL has been a favorite over the last several seasons, providing high-performance and versatile lighting. We're confident that the newest version will exceed your expectations, casting more lumens and sporting new colors. Completely new to our lighting range, the ARIA 1 and ARIA 2 headlamps bring a new option to the table, with lighting technology that is compact, durable, waterproof, and versatile, so hunters and fishers can keep their focus where they need it.

Happy reading and have a great season!

The Petzl Team

Contents

We Are Petzl	page 2
Petzl Across the Globe	4
Our Pillars	
Corporate Social Responsibility	9
New Products 2023	12
Harnesses	14
Helmets	26
Belay Devices and Descenders	34
Ropes	40
Carabiners and Quickdraws	48
Ice Axes	58
Crampons	64
Ascenders	70
Pulleys	
Lanyards	
Kits	80
Anchors	82
Crashpads	
Packs and Accessories	
Headlamps	
Spare Parts	123
Product Index	124
Petzl, Also Serving Professionals	126
The Petzl Foundation	128

This is see the world.

We are committed to creating safer places. For those who work and play in the vertical and dark worlds. For those who want to access their own inaccessible every day. We are independent and completely free to choose our own endeavors. To maintain industrial excellence, paying attention to our impact. To be pioneers in the pursuit of perpetual innovation. Sharing, educating, building. Together.


This is how we see the world.





Access the inaccessible®

"Accessing the inaccessible" is the driving force behind everything you do, whether you are moving towards a summit or descending into darkness. You're determined to get to evergreater heights and through ever-deeper shadows. And you're always searching for better tools to do it: tools with superior performance, tools that are more reliable, tools so comfortable and ergonomic that they disappear into your hand. At Petzl, we share your determination. We've built our entire design and manufacturing philosophy around exceeding your needs in the field. It's what we've been doing for 50 years, and what we'll continue to do for years to come.



Petzl is a family business that, over the years, has become the largest European manufacturer of personal protective equipment for those who work and play in darkness or at height. All of our products are invented and developed at our headquarters in the heart of the French Alps.

Key Stats

The brand is present in over $55\,\mathrm{countries}$

85% of sales are made internationally

More than 7 million products are sold every year

10 000 000

people use Petzl personal protective equipment every day





- Headquarters in the French Alps, in the town of Grenoble
- American subsidiary in Salt Lake City, Utah
- European subsidiaries and sales agencies: Austria, Germany, Benelux, Italy, Scandinavia, Spain, Switzerland, UK.

 $1000\,\mathrm{employees}\,\mathrm{across}\,\mathrm{the}\,\mathrm{globe}$

4 production sites, 3 in France and 1 in Malaysia







The Values That Motivate Us

For 50 years, Petzl has been built around four pillars, four fundamental values that motivate every decision we make: remaining a stable family business, encouraging innovation to imagine the best solutions, insisting on industrial excellence with the goal of zero defects, and remaining engaged with our communities by providing global best practices.

Learn more about each of our pillars.

1. Family Ownership



Fernand Petzl and Daniel Gagneur in front of a scaling pole

Sébastien, Paul, and Olivier Petzl



Fernand in his workshop

Our story begins in the 1930s in southeastern France

That was when craftsman Fernand Petzl was introduced to caving. Back at his workshop after each excursion to the depths, Fernand imagined new tools for exploring darkness and heights. In 1968, he marketed his first products; in 1970, Petzl was born.

For decades, the Petzl family has built a stable environment that fosters creative solutions and industrial excellence. The new generation is rooted in these principles and ready to make new discoveries.

The Petzl family business is not listed on the stock market. We're proud of our independence; we make our own choices, take responsibility for our decisions, and maintain a long-term, sustainable vision for the future.

The confidence and satisfaction of our customers, our dealers, and our partners drives everything we do.





2. Innovative Spirit



Innovations That Challenge Convention

With the introduction of the first headlamp in 1973, the legendary GRIGRI assisted blocking belay device in 1991, and the MAESTRO rescue descender in 2019, Petzl ingenuity has always pushed standard practices forward. Since the creation of Petzl in 1970, our objective has always been to make progressing in dark or vertical spaces safer and more comfortable.

Going Farther

As passionate pioneers, we delight in creating new opportunities for our users to venture into ever more committing terrain — to go farther and higher, to work more efficiently, to maximize safety and to make what was inaccessible today accessible tomorrow.






© 2019 - Petzl Distribution - James Roh - SIC Fire Dpt.

Simplicity, Durability, Efficiency

The tools we make are conceived and constructed with an eye for simplicity, durability, and efficiency. For Petzl, being a pioneer has meant 50 years of passion, expertise, innovation, and continuous improvement. This approach to our craft and our business has allowed us to serve as a global expert, as we did in 2006 with the conception of the EXO personal escape system. At the request of, and in collaboration with, the firefighters of New York City, we were able to design an efficient solution that would allow easy escape in critical situations. It's an achievement that has been recognized with several awards, including best invention of the year by Time Magazine.

The Evolution of Petzl Headlamps



3. Industrial Excellence





Beyond the Standards

We have a deep responsibility to the people who trust us with their lives, and we develop, test, and qualify all of our products above required standards. Our design center, based in France, integrates all crafts that are related to the creation of products: mechanical, textile, electronic, optical, and technological. From the design and prototype phases, the reliability of a product and the safety of the user are continuously evaluated, with particular attention to risks of use.

With labs dedicated to product testing, we conduct dynamic fall and impact resistance tests, perform cyclical testing, and evaluate performance, as well as beam quality and burn times of our headlamps. This process includes rigorous field testing in order to test the ergonomics and reliability during real-world use.





Zero Defects - PPE (Personal Protective Equipment)

Reliability is at the center of our concerns: our goal is for our products to consistently function at the same level of excellence. Our objective is to allow zero defective products to leave our facilities, which involves processes with significant extra costs at every stage of production.

As we navigate an increasingly globalized economy, we go to great lengths to support our distributors and dealers, and we are heavily involved in the fight against counterfeit products.

Production and Inspection

Petzl's production sites are located in France, in the towns of Crolles, Eybens, and Rotherens, as well as in Rawang, Malaysia. Remaining competitive and keeping the majority of our production in France means that we continuously optimize our production lines and reduce our waste.

This production infrastructure is complemented by long-term partnerships with key suppliers in Europe and Asia.

Our purchasing and quality control teams work closely with suppliers, ensuring to the best of our abilities, product reliability and quality that meets or exceeds our strict requirements. Quality inspection is present throughout every step of the production process: machine inspection of operations, human inspection at key points, further reinforcement by errorproofing systems and final individual inspection of each product.

We regularly audit the methods, quality management systems, and CSR practices (Corporate Social Responsibility) of our suppliers and strategic partners, especially when it comes to their employees.



4. Community Engagement



Using Our Expertise to Serve Communities

Sharing technical knowledge and appropriate product uses is at the heart of what we do at Petzl. We produce high-quality technical content that is available to everyone and utilized by the different communities that we serve. With a focus on maximizing safety, this content is updated and enriched throughout the lifetime of our products to keep our customers informed and moving forward while they practice their sport or do their job.

International Collaboration

Across the world, we have partnerships with iconic athletes, influential figures, professionals who work in extreme conditions, NGOs, certifying bodies, and training centers operated by leading experts in the field. These collaborations help us co-create a world where we can all learn, share, and flourish. They also make it easier to promote best practices and standard uses. At the heart of our collaborations is always a passion for exploration, for a job well done, and for the pursuit of the inaccessible.







The Petzl Foundation is an integral part of Petzl.

Through the Petzl Foundation, we support and initiate projects that help prevent accidents, preserve the environment, and improve knowledge of the natural world around us.

More information about the Petzl Foundation can be found on page 128.





"More than ever before, we're acutely aware that the choices we make today will have a lasting impact on the environment and will actively shape our own futures and the futures of our children. We're committed to using our creativity and our capacity to innovate in service of sustainably reducing our impact in a continuous drive for improvement."

Marie Pailler, CSR Manager and Sébastien Petzl, Director of CSR

Our approach to Corporate Social Responsibility (CSR) is pragmatic, collaborative, and positive.

It's built on concrete actions, feedback from our stakeholders, and is solution-oriented, to encourage our teams and community to take action.

More information about Petzl CSR practices:



The safety and satisfaction of our customers remains our top priority. Beyond that, however, we're striving to create a more sustainable future.

Petzl has launched projects to improve our own economic, environmental, and social practices, as well as the practices of our suppliers in order to:

- Reduce our carbon footprint
- Improve the satisfaction of our employees
- Reduce, reuse, and recycle our waste
- Improve the labor conditions of our suppliers









This year, the mountains are front and center, with updates for mountaineering and ski mountaineering harnesses. At an even lighter weight, we're giving you compact and functional harnesses that make every outing feel like a success.



SITTA page 18



FLY page 19



ALTITUDE page 20



TOUR page 21



BOREO page 30

While the BOREO and BOREO CAVING helmets are getting a fresh new design, they continue to set the standard for the perfect balance between comfort and practicality.



BOREO CAVING page 31



KIT VIA FERRATA EASHOOK page 81



KIT VIA FERRATA VERTIGO

page 81

Indispensable for via ferrata adventures, both kits will include the new BOREO helmet.





SPLIT page 91

Offering updated colors, a fresh design, new slings, and an additional 25 cm length, the 2023 quickdraws and carabiners will not disappoint!







At Petzl, we're always finding new ways to improve our headlamps. In 2023, we're launching the second iteration of the SWIFT RL, with enhanced performance and new colorways. You'll also find the all-new ARIA headlamps; offering RGB lighting and a compact, waterproof design, they're the new go-to for hunting and fishing enthusiasts.



ARIA 2 page 115



ARIA 1 page 114





Petzl harnesses are designed to meet the needs of all those who play in the vertical world, whether it's for climbing, mountaineering, via ferrata, canyoning, or caving. We offer a variety of models suited for different body types and different uses.



Designs for different body types:

- WITH adjustable leg loops, suitable for most body types and all seasons (winter and summer use).
- WITHOUT adjustable leg loops, making it lightweight and optimizing freedom of movement.

Women's harness with angled waistbelt and an adapted rise and waistbelt-to-leg-loop ratio.

Capacity to carry gear suited to the activity:

- For gym climbing, via ferrata, glacier travel, or classic mountaineering, two gear loops are sufficient.
- For single pitch or big wall climbing, four gear loops are necessary.
- For activities requiring a lot of gear, such as trad climbing, technical mountaineering, or ice climbing, a fifth gear loop is more practical.

Harnesses for mountaineering and ski touring:

- · Weight and bulk are minimized.
- Practical to put on while wearing crampons or skis.

Product Categories for Specific Activity Levels

• The PERFORMANCE range is designed for intensive use at the crag, on multi-pitch climbs, or in the mountains: they are technical harnesses that meet your needs for minimal weight, freedom of movement, and comfort, and offer a large capacity to carry the gear for any ascent.

	Adjustable leg loops	Weight*	Number of gear loops	Gym climbing, rock climbing	Multi-pitch climbing	Trad climbing	Glacier travel, classic moun- taineering	Technical moun- taineering, ice climbing	Via ferrata	Ski touring
SITTA		285 g	5	•	•	•		•	•	
AQUILA 🎎	•	405 g	6	•	•	•		•	•	
HIRUNDOS		310 g	5	•	•			•	•	
FLY	•	100/130 g	2 + 4 S				•	•		•

^{*} The weight given is for size M



































• The ADVANCED range is designed for active climbers and mountaineers: comfortable and versatile, these harnesses offer multiple gear loops and can be worn at the crag, on multi-pitch climbs, or in the mountains. Two harnesses are specifically designed for women (2).

	Adjustable leg loops	Weight*	Number of gear loops	Gym climbing, rock climbing	Multi-pitch climbing	Trad climbing	Glacier travel, classic moun- taineering	Technical moun- taineering, ice climbing	Via ferrata	Ski touring
ADJAMA 🔏	\$.	485 g	5	•	•	•	•	•	•	
LUNA Z	5	470 g	5	•	•	•	•	•	•	
SAMA	8	415 g	4	•	•		•		•	
SELENA	8	390 g	4	•	•		•		•	
ALTITUDE	• 8	160 g	2				•			•

^{*} The weight given is for size M (men) or S (women), or S/M






Petzl Harness Technology

For certain climbing and mountaineering harnesses, Petzl uses specific technologies: FRAME, ENDOFRAME, FUSEFRAME, or WIREFRAME. These constructions, which never sacrifice climber comfort, are adapted to different expectations that climbers may have, whether you're just starting out, an active climber, or looking for high performance.



FRAME Technology

This construction forms the core of CORAX and OUISTITI harnesses and combines a thick layer of foam with central webbing on the waistbelt and leg loops. The load is distributed by the webbing that is surrounded by foam. This construction allows for great durability and comfort when hanging for long periods on a climb.




ENDOFRAME Technology



This construction method uses thin foam and specific variable-width webbing sewn onto the foam for optimal load distribution.

The waistbelt webbing is wider at the hips, providing support while remaining lightweight. We've paid careful attention to providing maximum comfort and greatly reduce pressure points or hot spots on the waistbelt. ENDOFRAME technology is used in SAMA, SELENA, ADJAMA, LUNA, and MACCHU harnesses.






• The DISCOVER range is ideal if you're new to the sport or only use the harness occasionally for activities in the mountains. Versatile and adjustable, these harnesses are comfortable when hanging for long periods of time and adapt to different body types.

		Adjustable leg loops	Weight*	Number of gear loops	Gym climbing, rock climbing	Multi-pitch climbing	Trad climbing	Glacier travel, classic moun- taineering	Technical moun- taineering, ice climbing	Via ferrata	Ski touring
CORAX	I	•	470 g	4	•	•		•	•	•	
TOUR	3 8	•	200 g	2				•			•
8003		•	580 g	2				•		•	

^{*} The weight given is for size 1 or S/M.






FUSEFRAME Technology




This construction uses thin thermoformed foam and doubled interior webbing for greater comfort and lightness. This gives the harnesses a smooth and clean exterior surface without adding thickness, for improved abrasion resistance. FUSEFRAME technology gives the HIRUNDOS, AQUILA, and FLY harnesses (removable foam) a clean, smart design that is light and comfortable.



WIREFRAME Technology



WIREFRAME technology uses high-modulus polyethylene (HMPE) strands. These strands are used in the waistbelt and leg loops to optimally distribute pressure, ensuring maximum comfort and freedom of movement for the climber. This construction gives the harness an exceptional weight-to-comfort ratio that makes it practically unnoticeable when worn. WIREFRAME technology, applied to a very sleek design with very slim technical lines, is perfectly suited to high-performance SITTA and ALTITUDE harnesses.























PERFORMANCE Climbing and Mountaineering Harnesses



SITTA

Ultra-light performance climbing and mountaineering harness

For climbers and mountaineers who want performance! SITTA is lightweight without compromising comfort. It's also very compact when stored in your backpack. The extremely thin and flexible waistbelt keeps your movement completely unhindered, whether you're rock climbing or mountaineering. Five gear loops allow you to carry all the gear you need to climb rock or ice. With this harness, you can power through multiple excursions: the reinforced tie-in points are designed to provide long-lasting resistance to rope friction.



Each front gear loop has a mobile separator that divides the gear loop to optimize organization (quickdraws, nuts, or cams). The separator can be moved to the back to make a single large gear loop.

Compatible with one or multiple CARITOOL EVO tool holders, for use in any season.



The durable exterior fabric and bonded construction of the waistbelt and leg loops provide optimal wear resistance.

- The perfect balance between low weight, mobility, and comfort:
- Extremely thin and flexible waistbelt and leg loops with WIREFRAME Technology: HMPE (high-modulus polyethylene) strands used in the waistbelt and leg loops provide optimal load distribution without the use of foam and the extreme lightness and comfort of the harness make it practically unnoticeable when worn
- Very compact when stored in its pouch
- The fixed leg loops and supple leg loop bridge give you total freedom of movement
- Waistbelt equipped with a DOUBLEBACK HD buckle in forged aluminum, allowing the webbing to glide smoothly for easy and quick adjustment
- Capacity to carry a large quantity of gear:
- Two very large, rigid gear loops in front to rack a lot of gear and easily clip and unclip gear; each front gear loop has a mobile separator that divides the gear loop to optimize organization (quickdraws, nuts, or cams) and the separator

- can be moved to the back to make a single large gear loop
- Two semi-rigid rear gear loops, angled to bring gear to the front and comfortable when carrying a backpack
- A fifth semi-rigid gear loop in the back is easy to access and made to attach a tag line, shoes, knife, or other accessories
- Compatible with one or multiple CARITOOL EVO tool holders, for use in any season
- Enhanced durability:
- Reinforced tie-in points in HMPE for improved resistance to wear from rope friction
- Bonded construction of the waistbelt and leg loops offer optimal wear resistance without making the harness bulky
- Durable, abrasion-resistant exterior fabric
- Breathable interior fabric is quick-drying and helps manage perspiration
- Completely water repellent construction suited to mountaineering and ice climbing

Product Specifications

- Material(s): Nylon, polyester, aluminum, high-modulus polyethylene
- Certification(s): CE EN 12277 type C, UKCA, UIAA
- Harness comes in a protective carry bag

Accessory(ies)

CARITOOL EVO PO43AAOO

Specifications by Reference

PERFORMANCE Climbing and Mountaineering Harnesses





Ultra-lightweight and adjustable harness for technical mountaineering and ski mountaineering

The lightest Petzl harness! FLY is a minimalist harness specifically designed for technical mountaineering and ski mountaineering. It can be donned without removing your skis or crampons, making it a practical solution. It's also modular, with removable waistbelt and leg loop padding, so you can adapt the level of comfort and weight. Gear loops and ice screw retainers allow you to keep your gear within reach.





Can be donned with both feet on the ground while wearing skis or crampons.



Bulk is minimized when stored in its pouch.



FUSEFRAME technology with removable foam allows the user to adapt harness comfort to the activity.

- Lightweight and compact, ideal for the most demanding mountaineers and skiers:
- Designed for technical mountaineering and ski mountaineering
- Can be donned with both feet on the ground while wearing skis or crampons
- Only 100 g (size M) without comfort foam, and 130 g with foam; extremely low weight and body-hugging fit for complete freedom of movement that will make the harness practically unnoticeable when worn
- Innovative buckle-free construction (Petzl patent): sliding toggle lock instead of metal buckle makes it quick and easy to adjust waistbelt, and leg loops can be adjusted with a girth hitch
- Slim design
- Minimalist pouch allows the harness to be compressed, freeing up space in your pack

- Adjustable level of comfort:
- FUSEFRAME technology with removable foam that allows you to adapt the level of comfort to the activity; removing the foam in the waistbelt and leg loops makes the harness even lighter
- Comfort foam optimally distributes the load to make hanging in the harness more comfortable
- Technical and durable:
- Two gear loops and four additional loops to organize and carry gear required for technical outings
- Retainer with silicone interior on each leg loop, for holding an ice screw
- Attachment points, webbing, and gear loops reinforced with high-modulus polyethylene (HMPE), for greater resistance to abrasion and rubbing

Product Specifications

- Material(s): Nylon, polyester, high-modulus polyethylene
- Certification(s): CE EN 12277 type C, UKCA, UJAA
- Harness comes in a protective carry bag
- Also comes with minimalist pouch for stowing the harness when used without foam

Accessory(ies)

CARITOOL P42, CARITOOL EVO P043AA00

Specifications by Reference

ADVANCED Climbing and Mountaineering Harness



ALTITUDE

Lightweight, compact mountaineering and ski touring harness

Go for the summit! ALTITUDE is a lightweight harness with a simple design that allows you to don the harness without taking off your skis or crampons. It's the ideal companion for ski touring or mountaineering. Two gear loops allow you to carry all the gear you need for excursions in the mountains.





Can be donned with both feet on the ground while wearing skis or crampons.



Bulk is minimized when stored in its pouch.



Two gear loops to carry gear and retainers with silicone interior on each leg loop, for carrying an ice screw.

- Designed for mountaineering and ski touring:
- Can be donned with both feet on the ground while wearing skis or crampons
- DOUBLEBACK LIGHT buckle and fastening strap are easy to operate, even with gloves
- Comfortable to wear when walking or hanging
- Lightweight and compact:
- Only 150 g (size S/M)
- Compact when stored in the pouch
- Extremely thin and flexible waistbelt and leg loops with WIREFRAME Technology: HMPE

(high-modulus polyethylene) strands used in the waistbelt and leg loops provide optimal load distribution without the use of foam and the low weight and comfort of the harness make it practically unnoticeable when worn

- Simple design and capacity to carry gear:
- Streamlined design
- Single tie-in point
- Two gear loops for carrying and organizing gear
- Retainers with silicone interior on each leg loop, for carrying an ice screw

Product Specifications

- Material(s): Nylon, polyester, high-modulus polyethylene, aluminum
- Certification(s): CE EN 12277 type C, UKCA, LJIAA
- Harness comes in a protective carry bag

Accessory(ies)

CARITOOL P42, CARITOOL EVO P043AA00

Specifications by Reference

DISCOVER Climbing and Mountaineering Harnesses



TOUR


Durable, lightweight harness for glacier travel and ski touring

For ski touring or glacier travel, TOUR is the ideal harness. It's simple and durable architecture allow you to don the harness without removing your skis or crampons. It's equipped with two gear loops and retainers to carry your gear.





Can be donned with both feet on the ground while wearing skis or crampons.



Materials used in harness construction give it an excellent weight-to-durability ratio.



Two gear loops to carry gear and retainers with silicone interior on each leg loop, for carrying an ice screw.

- Designed for glacier travel and ski touring:
- Can be donned with both feet on the ground while wearing skis or crampons
- The DOUBLEBACK buckle and fastening strap are easy to operate, even with gloves
- Comfortable to wear when walking or hanging
- Excellent weight-to-durability ratio:
- FRAME Technology, with a central strap for the waistbelt and leg loops
- Constructed with durable materials
- Simple design and capacity to carry gear:
- Color coding allows you to instantly identify the inside and outside of straps
- Single tie-in point
- Two gear loops for carrying and organizing gear
- Retainers with silicone interior on each leg loop, for carrying an ice screw

Product Specifications

- Material(s): Nylon, polyester, aluminum
- Certification(s): CE EN 12277 type C, UKCA, UIAA
- Harness comes in a protective carry bag

Specifications by Reference

		Reference	Size	Weight	Waist Size	Leg Loops	Made in	Case Quantity	EAN Code
PERFORMANCE Climbing and Mo	ountaineering	Harnesses						J	l.
SITTA NEW 2023		C011AA00	XS	255 g	65 - 71 cm	48 - 53 cm	CN	10	334254084104
Ultra-light performance climbing	AX	C011AA01	S	270 g	71 - 77 cm	48 - 53 cm			33425408410
and mountaineering harness		C011AA02	М	285 g	77 - 84 cm	52 - 57 cm			33425408410
		C011AA03	L	300 g	84 - 92 cm	55 - 60 cm			33425408410
AQUILA	436	C037BA00	S	385 g	71 - 77 cm	48 - 58 cm	CN	10	33425408385
Very comfortable climbing and	7	C037BA01	М	405 g	77 - 84 cm	52 - 62 cm			33425408385
mountaineering harness for performance sport climbing, trad	00	C037BA02	L	435 g	84 - 92 cm	55 - 65 cm			33425408387
limbing, and mountaineering		C037BA03	XL	465 g	92 - 100 cm	57 - 67 cm			33425408387
HIRUNDOS		C036BA00	XS	270 g	65 - 71 cm	48 - 53 cm	CN	10	33425408384
Lightweight and comfortable	JA	C036BA01	S	290 g	71 - 77 cm	48 - 53 cm			33425408385
climbing harness for performance while climbing		C036BA02	М	310 g	77 - 84 cm	52 - 57 cm			33425408386
ochonnance write cilinbility	990	C036BA03	L	330 g	84 - 92 cm	55 - 60 cm			33425408386
	4	C036CA00	XS	270 g	65 - 71 cm	48 - 53 cm			33425408386
Available in 2 colors:		C036CA01	S	290 g	71 - 77 cm	48 - 53 cm			33425408386
Orange: C036BAxx		C036CA02	М	310 g	77 - 84 cm	52 - 57 cm			33425408386
Black: C036CAxx		C036CA03	L	330 g	84 - 92 cm	55 - 60 cm			33425408386
FLY 2023		C002BA00	S	90 / 120 g*	66 - 76 cm	50 - 56 cm	CN	15	33425408410
Ultra-lightweight and idjustable harness for echnical mountaineering and ski mountaineering		C002BA01	М	100 / 130 g*	76 - 86 cm	52 - 58 cm			33425408411
		C002BA02	L	110 / 140 g*	86 - 96 cm	54 - 60 cm			33425408411
* Weight without foam / weight with f	foam								
ADVANCED Climbing and Mounta	aineering Harr	iess						J.	
ADJAMA		C022BA00	S	460 g	71 - 77 cm	47 - 57 cm	CN	8	33425408352
Climbing and mountaineering	A	C022BA01	М	485 g	77 - 84 cm	51 - 61 cm			33425408352
narness with adjustable leg loops, or single and multi-pitch climbing	00	C022BA02	L	515 g	84 - 92 cm	54 - 64 cm			33425408352
or single and main piteri climbing		C022BA03	XL	545 g	92 - 100 cm	56 - 66 cm			33425408352
 _UNA ♀	.0	C035BA00	XS	440 g	65 - 71 cm	46 - 56 cm	CN	8	33425408352
Nomen's climbing and	A	C035BA01	S	470 g	71 - 77 cm	51 - 61 cm			33425408352
mountaineering harness with adjustable leg loops for single		C035BA02	М	495 g	77 - 84 cm	54 - 64 cm			33425408353
and multi-pitch climbing		C035BA03	L	525 g	84 - 92 cm	56 - 66 cm			33425408353
SAMA		C021BA00	S	385 g	71 - 77 cm	48 - 53 cm	CN	8	33425408351
Climbing harness for the gym,	A	C021BA01	М	415 g	77 - 84 cm	52 - 57 cm			33425408351
crag, and multi-pitch routes	00	C021BA02	L	445 g	84 - 92 cm	55 - 60 cm			33425408351
		C021BA03	XL	475 g	92 - 100 cm	57 - 62 cm			33425408351
SELENA \$		C055BA00	XS	370 g	65 - 71 cm	48 - 53 cm	CN	8	33425408352
Nomen's harness for the gym,	Ada	C055BA01	S	390 g	71 - 77 cm	52 - 57 cm			33425408352
crag, or multi-pitch routes		C055BA02	М	420 g	77 - 84 cm	55 - 60 cm			33425408352
		C055BA03	L	450 g	84 - 92 cm	57 - 62 cm			33425408352
ALTITUDE® NEW 2023	Tatasan Inglise	C019BA00	S/M	150 g	64 - 86 cm	55 - 67 cm	CN	30	33425408411
ALITIUDE 2028 Lightweight, compact	TAI	C019BA01	M/L	160 g	74 - 96 cm	60 - 73 cm			33425408411
mountaineering and ski ouring harness		C019BA02	L/XL	170 g	84 - 108 cm	66 - 79 cm			33425408411



		Reference	Size	Weight	Waist Size	Leg Loops	Made in	Case Quantity	EAN Code
DISCOVER Climbing and Mount	aineering Harn	esses		J.		l.		l	I.
CORAX		C051AA00	1	470 g	65 - 96 cm	48.5 - 59 cm	MY	8	3342540834958
Versatile and fully	JA	C051AA01	2	520 g	76 - 107 cm	54 - 67 cm			3342540834965
adjustable climbing and mountaineering harness	00	C051BA00	1	470 g	65 - 96 cm	48.5 - 59 cm			3342540834972
The difficult forming that the co	77	C051BA01	2	520 g	76 - 107 cm	54 - 67 cm			3342540834989
Available in 3 colors:	60 60	C051CA00	1	470 g	65 - 96 cm	48.5 - 59 cm			3342540835009
- Gray: C051AAxx - Blue: C051BAxx - Turquoise: C051CAxx		C051CA01	2	520 g	76 - 107 cm	54 - 67 cm			3342540835016
TOUR NEW 2023		C020BA00	S/M	200 g	64 - 86 cm	55 - 67 cm	MY	30	3342540841154
TOUR Durable, lightweight harness for glacier travel and ski touring		C020BA01	M/L	215 g	74 - 96 cm	60 - 73 cm			3342540841161
		C020BA02	L/XL	230 g	84 - 108 cm	66 - 79 cm	-		3342540841178
8003	i-A	C05 1N	1	580 g	60 - 95 cm	42 - 62 cm	RO	12	3342540025950
Full-body harness for adults		C05 2N	2	610 g	75 - 105 cm	52 - 77 cm			3342540025967
VOLTIGE Adjustable chest harness for sit harness	88	C60	-	280 g	-	-	RO	15	3342540001596

		Reference	Weight	Waist Size	Leg Loops	Specifics	Made in	Case Quantity	EAN Code
Climbing Harnesses for Children									
MACCHU®		C015AA00	335 g	54 - 64 cm	34 - 44 cm	Blue	VN	10	3342540825154
Adjustable sit harness for children weighing less than 40 kg	3	C015AA01				Violet			3342540825161
BODY Padded shoulder straps to be used in conjunction with a child's sit harness	H	C018BA00	150 g	-	-	Chest: 45 - 80 cm	MY	15	3342540825178
OUISTITI Full-body climbing harness for children weighing less than 30 kg		C068AA00	410 g	58 - 70 cm	32 - 40 cm	Methyl Blue	MY	10	3342540820432







































	Refer	ence	Size	Weight	Waist Size	Leg Loops	Made in	Case Quantity	EAN Code
Caving Harnesses						<u>I</u>			l
AVEN	C013A	\A00	1	465 g	60 - 85 cm	42 - 62 cm	RO	4	3342540835429
Comfortable, durable caving harness	C013A	AA01	2	520 g	80 - 102 cm	52 - 72 cm			3342540835436
SUPERAVANTI (C012A	AA00	1	410 g	60 - 95 cm	42 - 62 cm	RO	6	3342540835405
Durable, lightweight	C012/	\A01	2	450 g	90 - 105 cm	52 - 72 cm			3342540835412
caving harness									
EXPLO Shoulder straps for positioning a CROLL, with gear loops	C027/	AA00	-	170 g	-	-	CN	6	3342540835450
TORSE Shoulder straps for positioning a CROLL	C026A	AA00	-	90 g	-	-	RO	9	3342540835440
Canyoning Harnesses									
CANYON CLUB Easy-to-use harness with integrated protective seat, for canyoning	C086A	AA00	-	660 g	60 - 120 cm	40 - 75 cm	KH	10	3342540829886
CANYON GUIDE	C086E	3A00	1	870 g	65 - 95 cm	40 - 65 cm	CN	5	3342540829893
Comfortable, ergonomic harness with integrated protective seat for canyoning	C086E	BA01	2	920 g	75 - 120 cm	40 - 75 cm			3342540829909
Protective seat for	C0860	CA00	-	160 g	-	-	KH	10	334254083001
CANYON harness	C0860	CA01							334254083003
	C0860	CA02							3342540830042
Comfort foam for CANYON CLUB harness	C086I	FA00	-	105 g	-	-	CN	10	334254083005
Gear loop for CANYON CLUB harness	C0860	3A00	-	25 g	-	-	CN	20	3342540830066
Cutaway sling for CANYON CLUB harness	C086I	DA00	-	9 g	-	-	FR	40	3342540830004
Cutaway sling for CANYON GUIDE harness	C086E	EA00	-	7 g	-	-	FR	40	3342540830618
Harness Accessories									
CARITOOL Harness tool holder	C P4	2	-	25 g	-	-	ΙΤ	30	3342540063877
CARITOOL EVO Universal ice screw holder adaptable to any type of harness, for ice climbing or mountaineering	P043 <i>A</i>	AA00	-	40 g	-	-	IT	16	334254083931









Petzl, Beyond the Standards

Petzl goes above and beyond the standard requirements for all our helmets, offering effective protection against falling objects and side, front, and rear impacts.



TOP AND SIDE PROTECTION: What Are the Levels of Protection?

1. Standard Protection



Standard protection against falling objects (such as rocks or ice)

EN 12492 / UIAA 106 Standard tests




2. Enhanced Protection



Enhanced protection against falling objects and against side, front, and rear impacts

Supplementary tests performed by Petzl



TOP AND SIDE PROTECTION = Standard Protection + Enhanced Protection

































Climbing and mountaineering helmets with CE ski touring helmet certification

With protection against falling objects (EN 12492) and enhanced protection against lateral, front, or rear impact (Petzl's TOP AND SIDE PROTECTION label), Petzl helmets effectively protect the head during numerous activities: climbing, mountaineering, and now ski touring, where wearing a helmet is not yet the norm.

What are the different requirements for a ski touring helmet?


Ventilation:

In ski touring, the physical effort generated on the climb is considerable and requires appropriate gear. Only a lightweight, and most importantly, ventilated helmet can be comfortably worn from beginning to end of an outing.

Head Protection:

Throughout a ski touring day, climbing or descending, the skier may face any of the following risks:

- Rockfall:



As in mountaineering, the skier may be exposed to rock or icefall, for example when climbing a couloir.

- Side, front, and rear impacts:



A fall while climbing on a steep or frozen slope above a rocky outcrop.



A fall while descending caused by terrain hazards: rocks, trees, ice blocks, crevasses, avalanches, or other possible hazards.

The best balance of ventilation and protection for the head will encourage participants to wear a helmet from beginning to end of an outing.

Why has Petzl pursued the creation of a new CE certification for ski touring helmets?

Currently there is no reference standard outlining the health and safety requirements for a ski touring helmet, unlike downhill skiing, which follows the guidelines of the EN 1077 class B standard.

Therefore, in order to obtain CE certification for a helmet used for ski touring, Petzl approached a certifying body to create a standard that takes into consideration the practice, the environment, and the dangers of ski touring.

This reference standard is based primarily on:

- The requirements of the mountaineering helmet standard (EN 12492), to provide rockfall protection, as well as maximum ventilation for comfort during ascents.
- Requirements for enhanced protection against lateral, front, and rear impacts (as described in the Petzl test protocol for the TOP AND SIDE PROTECTION label).

This reference standard is the PCSR (Protocol for ski touring helmets). It is public and available to other manufacturers for certification of their helmets.





Petzl offers helmet models for climbing, mountaineering, or via ferrata, for intensive or regular use, or for your first time trying out these activities.

T

Choosing Your Helmet

	PERFORMANCE	ADVA	NCED	DISC	OVER
	SIROCCO®	METEOR	METEORA	BOREO®	BOREA®
	CA.	110-1	110	NEW 2023	
	W.	V	W.	V	13
TOP AND SIDE PROTECTION	•	•	•	•	•
C Certified Ski Touring Helmet	•	•	•	-	-
Weight	170 g (size M/L)	240 g (size M/L)	225 g	330 g (size M/L)	295 g
Detail	Ultra-Lightweight	Versatile	Versatile Designed for Women	Durable	Durable Designed for Women
Ventilation	***	***	***	**	**

Two other models round out the range: the PICCHU helmet for children and the BOREO CAVING helmet for cavers.





Children's climbing and cycling helmet with enhanced protection





BOREO® CAVING Caving helmet with mounting plates for DUO headlamp

Petzl Helmet Construction

N	Manufacturing	Principle of Shock Absorption	Petzl Helmets	
Hybrid	EPP foam shell and EPS foam liner injected under a thin polycarbonate crown	The crown protects the liner and helps stop sharp objects at the top of the helmet. The liner alone absorbs top impacts by deformation. The shell alone absorbs side, front, and rear impacts by deformation.	SIROCCO®	
In-Mold	EPS foam liner injected under a thin polycarbonate shell	The shell protects the liner and helps stop sharp objects. The liner alone absorbs impacts by deformation.	METEOR METEORA	
Hard Shell / Hybrid	Hard ABS shell protects the EPP and/or EPS foam liner	The shell protects the liners, helps stop sharp objects, and distributes impacts. The liners absorb impacts by deformation.	BOREO® BOREA® PICCHU	

EPP: Expanded polypropylene EPS: Expanded polystyrene ABS: Acrylonitrile butadiene styrene



DISCOVER Climbing and Mountaineering Helmets



BORFO®


Durable and versatile helmet with enhanced protection for climbing and mountaineering

A durable helmet for all of your adventures! BOREO is great for climbing, via ferrata, canyoning, and caving. The thick shell provides optimal resistance against impacts and scuffs. The design provides greater coverage for enhanced head protection, and is compact and ventilated for maximum comfort.





Design provides greater coverage and is lower in the back for enhanced protection against lateral, frontal, and rear impact (Petzl's TOP AND SIDE PROTECTION product label).



Optimized durability due to hybrid construction with thick ABS shell, EPP foam liner, and EPS foam liner.



Easy to adjust the fit with lateral webbing and a fully adjustable chinstrap.

- Enhanced protection and comfort:
- Design provides greater coverage and is lower in the back for enhanced protection against lateral, frontal, and rear impact (Petzl's TOP AND SIDE PROTECTION product label)
- Stable and comfortable to wear, with interior foam and a flexible headband that conforms to the shape of the head
- Hybrid construction with thick ABS shell, EPP foam liner, and EPS foam liner, making the helmet durable
- Ventilation holes increase air circulation and optimize comfort
- Easy to adjust the fit with lateral webbing and fully adjustable chinstrap
- Lightweight: 330 g in size M/L
- Durable:
- Hard outer shell is impact- and scratch-resistant for optimal durability
- Headband folds into the shell for easy storage and transport
- Versatile, for a variety of activities:
- Ideal for climbing, mountaineering, caving, via ferrata, and canyoning
- Two clips in front and a rear elastic band for securing a headlamp to the helmet

Product Specifications

- Material(s): ABS shell, expanded polypropylene (EPP) liner, expanded polystyrene (EPS) liner, polyester webbing
- Certification(s): CE EN 12492, UKCA, UIAA

Spare Part(s)

Absorbent Replacement Foam A042MA00

Accessory(ies)

HELMET ADAPT E073AA00

Non-Absorbent Replacement Foam A042MB01

Specifications by Reference



Caving Helmet



BORFO® CAVING

Caving helmet with mounting plates for DUO headlamp

Are you a fan of subterranean exploration? The BOREO CAVING helmet is specifically designed for caving. The design provides greater coverage for enhanced head protection, and is compact and ventilated for maximum comfort. Equipped with mounting plates at the front and rear, it allows you to mount your headlamp. The mounting plates allow you to choose between the DUO RL, DUO S, or DUO Z2 headlamps, according to your needs.





Design provides greater coverage and is lower in the back for enhanced protection against lateral, frontal, and rear impact (Petzl's TOP AND SIDE PROTECTION product label).



Optimized durability due to hybrid construction with thick ABS shell, EPP foam liner, and EPS foam liner.



Easy to adjust the fit with lateral webbing and a fully adjustable chinstrap.

• Durable helmet designed for caving:

TOPANDSIDE PROTECTION

- Design provides greater coverage and is lower in the back for enhanced protection against lateral, frontal, and rear impact (Petzl's TOP AND SIDE PROTECTION product label)
- Hybrid construction with thick ABS shell, EPP foam liner, and EPS foam liner, making the helmet durable
- Hard outer shell is impact- and scratch-resistant for optimal durability
- Stable when worn, with a flexible headband that conforms to the shape of the head
- Easy to adjust the fit with lateral webbing and fully adjustable chinstrap
- Can be equipped with a headlamp:
- Front and rear plates mounted on helmet
- Plates designed for mounting a DUO RL, DUO S, or DUO Z2 headlamp (headlamp not included)
- Very easy to clean, with closed-cell comfort foam that does not absorb water or sweat

Product Specifications

- Material(s): ABS shell, expanded polypropylene (EPP) liner, expanded polystyrene (EPS) liner, polyester webbing
- Certification(s): CE EN 12492, UKCA, UIAA
- Product sold without headlamp

Spare Part(s)

Non-Absorbent Replacement Foam A042MB01 Absorbent Replacement Foam A042MA00

Specifications by Reference

		Reference	Color	Size	Weight	Head Circumfe- rence	Made in	Case Quantity	EAN Code
PERFORMANCE Climbing and M	Mountaineerin	g Helmets							
SIROCCO®	Ca	A073AA00	White/Orange	S/M	160 g	48 - 58 cm	CN	8	334254081818
Ultra-lightweight helmet with	CKI	A073AA01		M/L	170 g	53 - 61 cm			334254081832
enhanced protection for climbing, mountaineering, and ski touring	A	A073BA00	Black/Orange	S/M	160 g	48 - 58 cm			334254081833
		A073BA01		M/L	170 g	53 - 61 cm			334254081819
ADVANCED Climbing and Moun	taineering Hel	met							
METEOR		A071CA00	White/Black	S/M	225 g	48 - 58 cm	CN	8	334254083854
Lightweight helmet with		A071CA01		M/L	240 g	53 - 61 cm	-		334254083855
enhanced protection for climbing, mountaineering, and ski touring	199	A071AA02	Red/Orange	S/M	225 g	48 - 58 cm	-		334254082588
mountainounig, and out toding		A071AA03		M/L	240 g	53 - 61 cm			334254082589
METEORA	10.	A071DA01	White/Violet	-	225 g	52 - 58 cm	CN	8	334254083941
Lightweight helmet designed for women, with enhanced protection for climbing, mountaineering, and ski touring		A071DA00	White/Gray						334254083856
		A042VA00 A042VA01	White	S/M	300 g	48 - 58 cm	-	-	334254084120
	THE !	A042VA01	Gray	M/L S/M	330 g 300 g	53 - 61 cm 48 - 58 cm	-		
	To the second se		Gray		_				334254084122
	4	A042VA02	Gray Orange	S/M	300 g	48 - 58 cm			334254084122 334254084123
		A042VA02 A042VA03		S/M M/L	300 g 330 g	48 - 58 cm 53 - 61 cm			334254084123 334254084123 334254084124
	\(\frac{1}{2}\)	A042VA02 A042VA03 A042VA04		S/M M/L S/M	300 g 330 g 300 g	48 - 58 cm 53 - 61 cm 48 - 58 cm			334254084122 334254084123 334254084124 334254084125
	च्छे चि चि	A042VA02 A042VA03 A042VA04 A042VA05	Orange	S/M M/L S/M M/L	300 g 330 g 300 g 330 g	48 - 58 cm 53 - 61 cm 48 - 58 cm 53 - 61 cm			334254084122 334254084123 334254084124 334254084125 334254084126
	च्छे इस इस इस इस	A042VA02 A042VA03 A042VA04 A042VA05 A042VA06	Orange	S/M M/L S/M M/L S/M	300 g 330 g 300 g 330 g 330 g	48 - 58 cm 53 - 61 cm 48 - 58 cm 53 - 61 cm 48 - 58 cm			334254084122 334254084123 334254084124 334254084125 334254084126 334254084127
	चिं के	A042VA02 A042VA03 A042VA04 A042VA05 A042VA06 A042VA07	Orange Red	S/M M/L S/M M/L S/M M/L	300 g 330 g 300 g 330 g 300 g 330 g	48 - 58 cm 53 - 61 cm 48 - 58 cm 53 - 61 cm 48 - 58 cm 53 - 61 cm			334254084121 334254084122 334254084123 334254084125 334254084125 334254084127 334254084128 334254084129
climbing and mountaineering	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	A042VA02 A042VA03 A042VA04 A042VA05 A042VA06 A042VA07 A042VA08	Orange Red	S/M M/L S/M M/L S/M M/L S/M M/L	300 g 330 g 300 g 330 g 300 g 330 g 300 g	48 - 58 cm 53 - 61 cm 48 - 58 cm 53 - 61 cm 48 - 58 cm 53 - 61 cm 48 - 58 cm	TN	8	334254084122 334254084124 334254084125 334254084125 334254084127 334254084128 334254084129
with enhanced protection for climbing and mountaineering BOREA® Durable and versatile women's		A042VA02 A042VA03 A042VA04 A042VA05 A042VA06 A042VA07 A042VA08 A042VA09	Orange Red Blue	S/M M/L S/M M/L S/M M/L S/M	300 g 330 g 300 g 330 g 300 g 330 g 300 g 330 g	48 - 58 cm 53 - 61 cm 48 - 58 cm 53 - 61 cm 48 - 58 cm 53 - 61 cm 48 - 58 cm 53 - 61 cm	TN	8	334254084122 334254084123 334254084124 334254084125 334254084127 334254084128 334254084129 334254083084
climbing and mountaineering BOREA®		A042VA02 A042VA03 A042VA04 A042VA05 A042VA06 A042VA07 A042VA08 A042VA09	Orange Red Blue White	S/M M/L S/M M/L S/M M/L S/M	300 g 330 g 300 g 330 g 300 g 330 g 300 g 330 g	48 - 58 cm 53 - 61 cm 48 - 58 cm 53 - 61 cm 48 - 58 cm 53 - 61 cm 48 - 58 cm 53 - 61 cm	TN	8	334254084122 334254084123 334254084124 334254084126 334254084126 334254084129 334254084129 334254083084
climbing and mountaineering BOREA® Durable and versatile women's		A042VA02 A042VA03 A042VA04 A042VA05 A042VA06 A042VA07 A042VA09 A048AA00 A048BA00	Orange Red Blue White Turquoise	S/M M/L S/M M/L S/M M/L S/M	300 g 330 g 300 g 330 g 300 g 330 g 300 g 330 g	48 - 58 cm 53 - 61 cm 48 - 58 cm 53 - 61 cm 48 - 58 cm 53 - 61 cm 48 - 58 cm 53 - 61 cm	TN	8	334254084122 334254084124 334254084125 334254084126 334254084127 334254084128 334254084129 334254083084 334254083086
BOREA® Durable and versatile women's nelmet with enhanced protection		A042VA02 A042VA03 A042VA04 A042VA05 A042VA06 A042VA07 A042VA09 A048AA00 A048BA00	Orange Red Blue White Turquoise	S/M M/L S/M M/L S/M M/L S/M	300 g 330 g 300 g 330 g 300 g 330 g 300 g 330 g	48 - 58 cm 53 - 61 cm 48 - 58 cm 53 - 61 cm 48 - 58 cm 53 - 61 cm 48 - 58 cm 53 - 61 cm	TN	8	334254084122 334254084123 334254084124 334254084125 334254084126 334254084127 334254084128



		Reference	Color	Size	Weight	Head Circumfe- rence	Made in	Case Quantity	EAN Code
Caving Helmet									
BOREO® CAVING	NEW 2023	A042SA02	White	S/M	335 g	48 - 58 cm	-	-	3342540841307
Caving helmet with mounting plates for DUO headlamp		A042SA03		M/L	355 g	53 - 61 cm			3342540841314

		Reference	Weight	Specifics	Made in	Case Quantity	EAN Code
Helmet Accessories							
Absorbent Replacement Foam	0	A042MA00	10 g	-	TN	50	3342540820937
Non-Absorbent Replacement Foam	6	A042MB01	10 g	-	-	-	3342540841796




































Petzl Belay/Rappel Devices: Standard Usage Techniques






Hand Positioning

This hand position is valid regardless of the device used.


Your hand must never let go of the brake side of the rope.



Giving Slack

To give slack, your brake-side hand pushes the rope towards the device, creating slack; your other hand pulls the rope through the device.

To repeat this movement, slide your brakeside hand along the rope, without ever letting it go.



Taking Up Slack


To take up slack, pull in the climber side of the rope and pull the brake side of the rope through the device. Never let go of the brake side of the rope.

Even though this hand sequence is common to all belay systems, the position and the tightness of the grip of the brake-side hand are determined by the function and performance of the belay device. These two features also affect the comfort of the belay.

Petzl Belay Systems: Two Types of Devices

Belay Devices with Cam-Assisted Blocking

Working Principle



When a climber falls or rests, the rope tightens and the cam pivots to pinch the rope and block it.

- Advantages
- Comfortable belay with cam-assisted blocking, which minimizes the strength required of the brake-side hand and is especially useful for working a route: trying a move multiple times and holding the climber
- Considerable leeway for brake-side hand position, regardless of the angle between the climber-side and brake-side ropes
- **Exceptionally comfortable descent**, with an ergonomic handle that gives you progressive control of the rope feed



GRIGRI® +

Belay device with cam-assisted blocking and anti-panic handle, particularly suitable for learning and for intensive use



GRIGRI®

Belay device with cam-assisted blocking

Manual Braking Belay/Rappel Devices

• Working Principle



When a climber falls or rests, the brake hand grips the rope firmly and pulls it downward, the rope gets pressed into the braking grooves, thus increasing the friction until the rope stops.

- Advantages
- Simple, compact, and lightweight
- Compatible with single, half, and twin dynamic ropes
- Comfortable rappels due to efficiency of the braking grooves



REVERSO®

Versatile, lightweight belay/rappel device, for use with one or two rope strands and ability to belay a second climber from the anchor



VERSO

Compact, lightweight belay/rappel device, for use with one or two rope strands and for rappelling

Choosing Your Belay Device


	GRIGRI® +	GRIGRI®	REVERSO®	VERSO
Type of Device	Assisted Blockin		Manual Braking Bela	
Leeway for brake- side hand position				
Strength required of brake-side hand				
Specifics	Anti-panic handle and top-rope mode	Comfortable descent	Belaying a second climber from the anchor and rappelling on two rope stands	Compact, lightweight, and for rappelling on two rope strands
Weight	200 g	175 g	57 g	55 g



		Reference	Color	Weight	Rope Diameter	Made in	Case Quantity	EAN Code
Assisted Blocking Belay Devices	.							
GRIGRI® +		D13A G	Gray	200 g	8.5 to 11 mm single rope	FR	17	3342540106536
Belay device with cam-assisted		D13A AG	Orange					3342540106543
blocking and anti-panic handle, particularly suitable for learning and for intensive use		D13A VI	Violet					3342540106550
GRIGRI®		D014BA00	Gray	175 g	8.5 to 11 mm single rope	FR	17	3342540825536
Belay device with	13-	D014BA01	Red/Orange					3342540825543
cam-assisted blocking		D014BA02	Blue					3342540825550
Manual Braking Belay/Rappel De	evices							
REVERSO®		D017AA00	Gray	57 g	Ropes:	GB	18	3342540825918
Versatile, lightweight belay/rappel	C test	D017AA01	Green		- Single: 8.5 to 10.5 mm - Half: 7.1 to 9.2 mm			3342540825932
device, for use with one or two rope strands and ability to belay a second climber from the anchor		D017AA02	Red/Orange		- Twin: 6.9 to 9.2 mm			3342540825925
VERSO Compact, lightweight belay/rappel device, for use with one or two rope strands and for rappelling		D019AA00 D019AA01	Gray Green	55 g	Ropes: - Single: 8.5 to 11 mm - Half: 7.1 to 9.2 mm - Twin: 6.9 to 9.2 mm	GB	18	3342540825949 3342540825956
Descenders								
HUIT Figure-eight descender		D02	Gray	100 g	8 to 13 mm rope	IT	15	3342540010499
HUIT ANTIBRULURE Figure-eight descender with anti-burn tab	8	D01	Black	110 g	8 to 13 mm rope	FR	15	3342540001749
Caving Descenders								
STOP Assisted braking descender for caving		D009AA00	Blue	350 g	8.5 to 11 mm low stretch kernmantle rope	FR	10	3342540828551
SIMPLE Simple, lightweight descender for caving		D004AA00	Red	240 g	8.5 to 11 mm low stretch kernmantle rope	FR	15	3342540828568
RACK Brake bar descender for long descents		D11	-	470 g	Low stretch kernmantle rope - One rope strand: 9 to 13 mm - Two rope strands: 8.5 to 11 mm	FR	25	3342540002067
FREINO Z Automatic locking carabiner with friction spur for STOP and SIMPLE descenders	0	M042AA00	-	75 g	-	GB	25	3342540828575

Belay Devices and Descenders

		Reference	Color	Weight	Rope Diameter	Made in	Case Quantity	EAN Code
Pulley for SIMPLE Pulley for SIMPLE caving descender	6	D004CA00	-	52 g	-	FR	50	3342540828582
Swinging Brake Bar With Hook for RACK		D11250	-	-	-	FR	50	3342540002104
Brake Bar Without Hook for RACK		D11200	-	-	-	FR	50	3342540002098
Anodized, Fixed Brake Bar for RACK	Acces 1	D11300	-	-	-	FR	50	3342540002111
Canyoning Descenders							,	
PIRANA GUIDE Adjustable friction descender with spur and locking slot for canyoning	Work in progress	D005AB00	Orange	115 g	8 to 13 mm rope	ΙΤ	10	3342540842113
PIRANA CLUB		D005BA00	Green	90 g	8 to 13 mm rope	TW	10	3342540839045
Adjustable friction descender for canyoning	\$	D005BA01	Black					3342540839052







Types of Ropes

Dynamic Ropes

Single Ropes (1)




Ropes used as a single strand. These are mainly used for single-pitch climbing. Some climbers also use them for multi-pitch climbing or mountaineering.

Half (1/2) and Twin (00) Ropes



These are certified to two types of the CE EN 892 standard.

- Half Ropes: ropes used in pairs that may be clipped separately or together during progression. They are recommended for rappels and to facilitate rope drag management. They provide a back-up in case one of the strands is damaged by a falling rock or a sharp edge.






Multi-Type Ropes

Multi-type ropes are certified to three types of the CE EN 892 standard. They may be used as a single, half, or twin rope.

Low Stretch Kernmantle Ropes






Manufacturing, Finish, and Treatment: Petzl Choices





UIAA Guide Dry Treatment

The UIAA Guide Dry treatment is our most complete water repellent treatment for frequent use in wet environments. It is especially useful when the rope is regularly used in extreme environments, such as for ice climbing or mountaineering. This treatment also improves the rope's resistance to dirt and abrasion.



The manufacturing process for UIAA Guide Dry treatment has two stages: the core is treated before the rope is braided and then the entire rope is treated in order to minimize water absorption and penetration of fine particles into the rope.



Duratec Dry Treatment

Dry treatment making the rope more resistant to water, dirt, and abrasion. Handling, grip, and other characteristics are maintained longer in cold, wet conditions.



EverFlex Treatment

Special treatment stabilizes the core strands and improves consistency. Provides excellent grip and consistent handling over time.



Finish

UltraSonic Finish

Ultrasonic welding bonds the core and sheath together at the rope ends. Gives greater durability and helps avoid frayed ends.





ClimbReady Coil

Special coil makes the rope ready to use. Helps avoid initial uncoiling mistakes and increases longevity.





Middle Mark

Indicates the middle of the rope for easier rope management.





41

Choosing Your Single Dynamic Rope

	VOLTA® GUIDE 9 mm	VOLTA® 9.2 mm	ARIAL® 9.5 mm	CONTACT® 9.8 mm	CONTACT® WALL 9.8 mm	MAMBO [®] 10.1 mm
Rope Type	Multi-Typ	oe Rope		Singl	e Rope	
Guide UIAA Dry	•					
Duratec Dry		•	•			
Ever Flex	•	•	•	•	•	•
UltraSonic Finish	•	•	•	•	•	•
ClimbReady ClimbReady	•	•	•	•	•	•
Middle Mark Mark	•	•	•	•	•	•
Ice Climbing, Mixed Climbing	***	☆	☆			
Mountaineering	***	**				
Glacier Travel	***	*				
Multi-Pitch Climbing	☆	☆	☆	☆		
Performance Rock Climbing	***	***	***	*		
Single Pitch Rock Climbing	*	**	***	***		***
Gym Climbing			*	**	***	***

^{★★★} Recommended Use

^{★★} Suitable Use

[★] Possible Use

A Possible use: should be used with a second rope for rappelling, if required.

Choosing Your Half or Twin Dynamic Rope

	PASO® GUIDE 7.7 mm	RUMBA® 8 mm	TANGO [®] 8.5 mm	VOLTA® GUIDE 9 mm	VOLTA® 9.2 mm
Rope Type	Hali	f Rope and Twin Ro	ope	Multi-Ty;	oe Rope
Guide UIAA Dry UIAA Dry	•			•	
Duratec Dry Duratec Dry		•			•
Ever Flex EverFlex	•	•	•	•	•
UltraSonic Finish UltraSonic Finish	•	•	•	•	•
ClimbReady Ready	•	•	•	•	•
Middle Mark Mark	•	•	•	•	•
Ice Climbing, Mixed Climbing	***	**		***	☆
Mountaineering	***	***		***	**
Glacier Travel				***	*
Multi-Pitch Climbing	*	***	***	☆	☆

^{★★★} Recommended Use

★★ Suitable Use

★ Possible Use































Choosing Your Low Stretch Kernmantle Rope

	CLUB 200		CLUB		PUSH 200		PUSH	
	10 mm		10 mm		9 mm		9 mm	
Lengths Available	200 m	40 m	60 m	70 m	200 m	40 m	60 m	70 m
Ever Flex	•	•	•	•	•	•	•	•
UltraSonic Finish		•	•	•		•	•	•
Climb Ready		•	•	•		•	•	•
Middle Mark		•	•	•		•	•	•
Independent Caving	*	*	*	*	***	*	*	*
Independent Canyoning	*	*	*	*	*	***	***	***
Guided Caving / Canyoning	***	***	***	***	*	*	*	*
Big Wall / Fixed Rope	***	*	*	*	*			
Hauling						***	***	***
Self-Belay Climbing on Fixed Rope	*	***	***	***				
Route Development	***							

★★★ Ideal Use

★ Possible Use

	Reference	Length	Color	Weight per Meter	Made in	Case Quantity	EAN Code
ynamic Single Ropes			1	I		l.	l.
OLTA® GUIDE 9 mm	R36AO 030	30 m	Orange	54 g	DE	4	3342540106215
Itra-lightweight multipurpose	R36AO 040	40 m				3	3342540817654
mm rope with UIAA Guide Dry eatment, for ultimate climbing	R36AO 050	50 m				3	3342540106239
nd mountaineering performance	R36AO 060	60 m				3	3342540106222
	R36AO 080	80 m				2	3342540833937
	R36AO 100	100 m				2	3342540823211
OLTA® 9.2 mm	R35AO 030	30 m	Orange	55 g	DE	4	3342540099128
Itra-lightweight multi-type	R35AN 050	50 m	Gray			3	3342540096806
2 mm rope for performance imbing and mountaineering	R35AO 050		Orange				3342540096813
	R35AN 060	60 m	Gray			2	3342540096820
	R35AO 060		Orange				3342540096837
	R35AN 070	70 m	Gray			2	3342540096844
	R35AO 070		Orange				3342540096851
	R35AN 080	80 m	Gray			2	3342540096868
	R35AO 080		Orange				3342540096875
	R35AO 100	100 m	Orange			2	3342540096882
RIAL® 9.5 mm	R34AC 060	60 m	Red	58 g	DE	2	3342540833876
ghtweight and durable	R34AD 060		Blue				3342540833906
5 mm single rope with uratec Dry treatment for	R34AC 070	70 m	Red				3342540833883
imbing and mountaineering	R34AD 070		Blue				3342540833913
	R34AC 080	80 m	Red				3342540833890
	R34AD 080		Blue				3342540833920
	P0040.000	20	Dha	00.7	DE.	0	00.405.4000001.4
ONTACT® 9.8 mm	R33AC 060	60 m	Blue	60 g	DE	2	3342540833814
8 mm diameter lightweight single pe for gym or rock climbing	R33AD 060	70	Green	_			3342540833845
)	R33AC 070	70 m	Blue	-			3342540833821
O 1.	R33AD 070		Green	-			3342540833852
	R33AC 080	80 m	Blue	-			3342540833838
	R33AD 080		Green				3342540833869
ONTACT® WALL 9.8 mm	R33AC 030	30 m	Blue	60 g	DE	4	3342540835139
8 mm diameter lightweight ngle rope for gym climbing	R33AD 040	40 m	Green			3	3342540835146
IAMBO® 10.1 mm 0.1 mm diameter single rope with	R32AC 050 R32AD 050	50 m	Turquoise Green	65 g	DE	2	3342540833753 3342540833784
ood grip for gym or rock climbing	R32AC 060	60 m	Turquoise				3342540833760
	R32AD 060		Green	-			3342540833791
	R32AC 070	70 m	Turquoise	1			3342540833777
	R32AD 070		Green	-			3342540833807
			1	I .			

		Reference	Length	Color	Weight per Meter	Made in	Case Quantity	EAN Code
Dynamic Half Ropes					1			
PASO® GUIDE 7.7 mm	AU	R22BG 050	50 m	Gray	40 g	DE	4	334254010603
7.7 mm diameter half rope		R22BO 050		Orange				334254010600
with UIAA Guide Dry treatment or technical mountaineering		R22BG 060	60 m	Gray			3	334254010604
and ice climbing		R22BO 060		Orange				334254010601
		R22BG 070	70 m	Gray			3	334254010605
		R22BO 070		Orange				334254010602
RUMBA® 8 mm	AU	R21BR 050	50 m	Red	44 g	DE	4	334254010626
3 mm diameter half rope with		R21BB 050		Blue				334254010625
Ouratec Dry treatment for multi-pitch climbing and		R21BR 060	60 m	Red			3	334254010627
mountaineering) //	R21BB 060		Blue				334254010624
TANGO® 8.5 mm	811	R20AW 050	50 m	White/Blue	47 g	DE	3	334254009689
3.5 mm diameter half rope for		R20AB 050		Yellow				334254009690
nulti-pitch and alpine rock routes		R20AW 060	60 m	White/Blue			2	334254009691
	0 //	R20AB 060		Yellow				334254009692
Low Stretch Kernmantle Ropes								
PUSH 9 mm		R40AO 040	40 m	Orange	55 g	CZ	3	334254010476
m diameter low stretch	-	R40AW 040		White				334254081764
ternmantie rope designed for ndependent caving and canyoning	122	R40AO 060	60 m	Orange			2	334254010477
	0 //	R40AO 070	70 m	Orange			2	334254010478
PUSH 200 9 mm	((R40AO 200	200 m	Orange	55 g	CZ	1	334254010461
9 mm diameter low stretch kernmantle rope designed for ndependent caving and canyoning		R40AW 200	200 m	White				334254010459
CLUB 10 mm		R39AO 040	40 m	Orange	70 g	CZ	3	334254010447
10 mm diameter low stretch		R39AW 040		White				334254081763
ternmantle rope designed or caving and canyoning	=30	R39AO 060	60 m	Orange			2	334254010446
or caving and canyoning	0 //	R39AO 070	70 m	Orange			2	334254010448
CLUB 200 10 mm		R39AO 200	200 m	Orange	70 g	CZ	1	334254010448
0 mm diameter low stretch		R39AW 200	200 m	White				334254010449




		Reference	Diameter	Length	Color	Weight per Meter	Made in	Case Quantity	EAN Code
Technical Cords									
PUR LINE 6 mm	(1)	R010AA00	6 mm	65 m	White/Orange	20 g	FR	6	3342540832589
Ultra-lightweight and ultra-durable hyperstatic cord designed for climbers and mountaineers to haul packs and retrieve single certified ropes during rappels		R010AA01		200 m				3	3342540832596
RAD LINE 6 mm	(R011AA00	6 mm	30 m	Orange	22 g	CZ	3	3342540832602
Ultra-light and compact hyperstatic cord designed for skiers doing crevasse rescue, rappelling, or roping up on a glacier to get out of a crevasse zone		R011AA01		60 m				4	3342540832619
SEGMENT 8 mm	(R076AA06	8 mm	200 m	White	43 g	CZ	1	3342540817111
Accessory cord designed for expert caving									
Kit	-								
RAD SYSTEM A complete ultra-lightweight and compact kit with specific cord, designed for skiers doing crevasse rescue, rappelling, or roping up on a glacier to get out of a crevasse zone		K011AA00	-	30 m	Orange	1000 g	CZ	3	3342540832626
Cords							1		
Cords	1111	R044AA00	4 mm	120 m	Orange	10 g	FR	5	3342540820784
Semi-static cords in 120-meter rolls		R045AA00	5 mm		Red	15 g		4	3342540820852
		R046AA00	6 mm		Green	24 g		2	3342540820791
	<i>))))</i>	R047AA00	7 mm		Blue	31 g		2	3342540820869
Fechnical Hiking Cord					,		1		
CONGA® 8 mm	<u>a</u> l	R42AB 020	8 mm	20 m	Blue	43 g	FR	15	3342540098381
mm diameter cord for installing handline when on a hike		R42AB 030		30 m				10	3342540098374

		Reference	Color	Weight	Specifics	Made in	Case Quantity	EAN Code
Rope Bags				J.	ļ.	ļ		
SPLIT	NEW 2023	S013AA00	Gray	600 g	Volume: 8 to	VN	8	3342540841185
Rope bag	THE STATE OF THE S	S013AA01	Red/Orange		25 liters			3342540841192
KAB Rope bag for gym climbing	1	S011AA00	Gray	880 g	Volume: 20 to 26 liters	VN	10	3342540825789
KLIFF		S010AA00	Gray	750 g	Volume: 36 liters	VN	10	3342540825796
Rope bag for rock climbing	PATE.	S010AA01	Red/Orange					3342540825802
TARP Large rope tarp	P€TZ1_	S012AA00	Black	280 g	Dimensions: 140 x 140 cm	VN	32	3342540835153



PETZL

Features of Petzl Carabiners



Fluid Interior Design

The fluid interior design of Petzl locking carabiners limits the risk of the nose getting caught while clipping and facilitates rotation of the carabiner.



H-Shaped Cross-Section

The carabiners have an H-shaped cross-section that provides an optimal strength-to-weight ratio, protects the markings from abrasion, and offers excellent handling, even when wearing gloves.





Keylock System

To provide optimal efficiency, all Petzl carabiners use the Keylock system: the nose of the carabiner, where the body and gate meet, does not have a notch that could snag on anchors, ropes, harness equipment loops, or other gear.

Without Keylock





Locking Carabiners

Shapes and Uses



D Shape

D-shaped carabiners are the most versatile and are efficient in a variety of different situations.



Pear Shape

These carabiners have a large basket. They are recommended for carrying gear, tying a Munter hitch, or to use at anchor points.



Oval Shape

These carabiners are designed for use with pulleys and progress-capture pulleys.



KIT

Locking Systems





SCREW-LOCK

With an easy-to-open gate, it can be locked or not according to need. The red indicator provides a visual warning when the carabiner is unlocked. This system is ideal for harsh environments where contaminants (mud, ice) could cause an automatic locking system to jam.





TWIST-LOCK

Automatic locking system designed for very frequent use, it can be attached at the end of a lanyard or used to connect a GRIGRI belay device to a harness. Doubleaction opening by turning the sleeve, then pressing on the gate.



BALL-LOCK

locked.



Automatic locking system

designed for frequent use.

The triple-action opening

consists of pressing on the

green indicator, turning the

the gate. The green button

indicates when the gate is

sleeve, then pressing on







Automatic locking system. The triple-action opening consists of raising and turning the sleeve, then pressing on the gate.









Non-Locking Carabiners

MonoFil or Classic Gate



Very light due to MonoFil technology, these carabiners provide a very smooth clip. They also feature the Keylock system to help avoid snagging.



Classic straight gates have grooves for better grip when opening the carabiner.

Different Sizes



Larger carabiners are easier to handle and clip, even while wearing gloves. Smaller carabiners are more lightweight and compact.

Quickdraws



Quickdraw slings are available in two or three lengths to reduce rope drag in certain situations, such as small roofs, overhangs, or offset anchor points.



All quickdraws come with a STRING to maintain the proper orientation of the carabiner and facilitate clipping.

Choosing Your Petzl Quickdraws



ANGE FINESSE For low weight

Designed for climbing situations where every gram counts, ANGE FINESSE quickdraws are ultra-light and compact. Available in two lengths and two carabiner sizes.



SPIRIT EXPRESS For greater versatility

A lightweight yet ergonomic solution, SPIRIT EXPRESS quickdraws are ideal for working routes at the crag or on multi-pitch climbs. Available in three lengths.



DJINN AXESS For optimal durability

Combining durability with good handling, DJINN AXESS quickdraws are designed for rock climbing. Available in three lengths.

Non-Locking Carabiners



SPIRIT

Lightweight, versatile carabiner for sport climbing

The SPIRIT carabiner is the benchmark for sport climbing and working routes. Bent and straight gate designs are optimized for different uses. The Keylock system prevents the carabiner from snagging when clipping and unclipping. Its standard size doesn't compromise on weight; in fact, its excellent weight-to-performance ratio means you can take it with you on different types of terrain like single pitch, multi-pitch, alpine rock, or ice. Available in two versions: straight gate or bent gate. The bent gate version is available in six colors.







The straight gate design offers an excellent grip and makes clipping and unclipping easier.



The bent gate allows you to efficiently clip the rope.



The Keylock system is designed to avoid snagging on a gear loop, bolt hanger, or rope.

- Easy to clip and unclip:
- Keylock system is designed to avoid snagging on a gear loop, bolt hanger, or rope
- Straight gate design offers an excellent grip and makes clipping and unclipping easier
- Bent gate design allows you efficiently clip the rope
- Flat carabiner spine offers excellent stability when holding it in your hand or pinch clipping
- Excellent weight-to-performance ratio: standard-sized, lightweight, and compact carabiner, weighing only 37 g
- Versatile:
- Easier to grab and clip for sport climbing
- Lightweight, for multi-pitch climbs and mountaineering
- Easy to use with gloves for mountaineering
- Available in two versions: straight gate (gray) and bent gate (gray, violet, green, red, yellow, or blue)

Product Specifications

- Material(s): Aluminum
- Certification(s): CE EN 12275 type B, UIAA

Accessory(ies)

EXPRESS 00400A00/1/2

STRING M090BA00

Specifications by Reference

Quickdraw Slings and Accessories



EXPRESS

Ergonomic quickdraw sling with STRING

The EXPRESS quickdraw sling is perfect for working a route. The ergonomic shape makes it easier to grab. The STRING helps stabilize the carabiner when clipping and protect the carabiner attachment loop from wear. It is available in three lengths (11, 17, and 25 cm) to adapt to different uses and better manage rope drag.

- Ergonomic, lightweight, and durable quickdraw sling:
- Ergonomic shape offers excellent grip
- Excellent weight-to-performance ratio
- For intensive use
- Rope end of the quickdraw is equipped with a STRING to stabilize the carabiner when clipping and help protect the carabiner attachment loop from wear
- Available in three lengths: 11, 17, and 25 cm

Product Specifications

- Material(s): Nylon, rubber
- Certification(s): CE EN 566, UIAA

Accessory(ies)

SPIRIT M061AA00, M061AB00/2/3/4/5/6

Specifications by Reference

See page 30

Quickdraws



SPIRIT EXPRESS

Lightweight, versatile quickdraw for sport climbing

The benchmark for sport climbing and working routes! The SPIRIT EXPRESS quickdraw is lightweight, ergonomic, and versatile. The SPIRIT carabiners are designed to optimize use. The Keylock system helps prevent the carabiner from snagging when clipping and unclipping. Ergonomic, the EXPRESS quickdraw sling is the perfect shape to grab with your hand. The excellent weight-to-performance ratio allows you to adventure on different types of terrain like single pitch, multi-pitch, alpine rock, and ice. It is available in three lengths (11, 17, and 25 cm) to adapt to different uses and better manage rope drag.

- Easy to clip and unclip:
- Carabiners feature the Keylock system, designed to avoid snagging on a gear loop, bolt hanger, or rope
- Straight gate design offers an excellent grip and makes clipping and unclipping easier
- Bent gate design allows you efficiently clip the rope
- Flat carabiner spine offers excellent stability when holding it in your hand or pinch clipping
- The STRING quickdraw sling protector stabilizes the carabiner when clipping
- The ergonomic shape of the EXPRESS quickdraw sling makes it easier to grab
- Excellent weight-to-performance ratio
- Versatile:
- Easier to grab and clip for sport climbing
- Lightweight, for multi-pitch climbs and mountaineering
- Easy to use with gloves for mountaineering
- Available in three lengths: 11, 17, and 25 cm

Product Specifications

- Major axis strength: 23 kN
- Minor axis strength: 7 kN
- Open gate strength: 8 kN
- Gate opening:
- 21 mm straight gate
- 24 mm bent gate
- Material(s): Aluminum carabiner, nylon sling, TPE (thermoplastic elastomer) STRING
- Certification(s):
- Carabiner: CE EN 12275 type B, UIAA
- Sling: CE EN 566, UIAA

Spare Part(s)

Specifications by Reference

Non-Locking Carabiners



DUINN

Durable carabiner for sport climbing

The DJINN carabiner is durable, making it especially suited for sport climbing. A wide contact surface with the rope and the bolt hanger optimizes rope glide and enhances durability. The large size makes it easier to use and the bent gate makes clipping the rope easier. The Keylock system prevents the carabiner from snagging when clipping and unclipping. Available in two versions: straight gate or bent gate.







The straight gate design offers an excellent grip and makes clipping and unclipping easier.



Bent gate makes clipping the rope easier.



The Keylock system is designed to avoid snagging on a gear loop, bolt hanger, or rope.

- Extremely durable:
- Wide contact surface with the rope and bolt hanger for better rope glide and reduced wear on the carabiner
- Excellent ratio between functionality, durability, and weight at only 44 g
- Easy to clip and unclip:
- Large carabiner suited to bigger hands or for use while wearing gloves
- Keylock system is designed to avoid snagging on a gear loop, bolt hanger, or rope
- Straight gate design offers an excellent grip and makes clipping and unclipping easier
- Large straight gate opening makes the carabiner easy to use
- Bent gate makes clipping the rope easier
- Flat carabiner spine offers excellent stability when holding it in your hand or pinch clipping
- Available in two versions: straight gate (gray) or bent gate (turquoise or violet)

Product Specifications

- Material(s): Aluminum
- Certification(s): CE EN 12275 type B, UIAA

Accessory(ies)

AXESS CO41BA00/1/2

STRING M090BA00

Specifications by Reference

Quickdraw Slings and Accessories



AXESS

Durable quickdraw sling with STRING

The AXESS is a simple and durable quickdraw sling designed for sport climbing. The STRING helps stabilize the carabiner when clipping and protect the carabiner attachment loop from wear. It is available in three lengths (11, 17, and 25 cm) to adapt to different uses and better manage rope drag.

- Durable construction for intensive use
- Rope end of the quickdraw is equipped with a STRING to stabilize the carabiner when clipping and help protect the carabiner attachment loop from wear
- Available in three lengths: 11, 17, and 25 cm

Product Specifications

- Material(s): Polyester, rubber
- Certification(s): CE EN 566, UIAA

Accessory(ies)

DJINN M060LA00, M060LB00, M060LB01

Specifications by Reference

See page 30

Quickdraws



DJINN AXESS

Durable quickdraw for sport climbing

The go-to quickdraw for a day at the crag! The DJINN AXESS quickdraw is durable, making it ideal for sport climbing. The DJINN carabiners have a wide contact surface with the rope and the bolt hanger, optimizing rope glide and enhancing durability. The large size of the carabiners make them easy to use. The bent gate design allows you to easily clip the rope. The Keylock system helps prevent the carabiner from snagging when clipping and unclipping. It is available in three lengths (11, 17, and 25 cm) to adapt to different uses and better manage rope drag.

- Extremely durable:
- Wide contact surface with the rope and bolt hanger for better rope glide and reduced wear on the carabiner
- Durable sling with STRING to protect the webbing from abrasion
- Excellent ratio between functionality, durability, and weight: 11 cm quickdraw weighs 103 g
- Easy to clip and unclip:
- Large carabiners suited to bigger hands or for use while wearing gloves
- Carabiners feature the Keylock system, designed to avoid snagging on a gear loop, bolt hanger, or rope
- Straight gate design offers an excellent grip and makes clipping and unclipping easier
- Large straight gate opening makes the carabiner easy to use
- Bent gate makes clipping the rope easier
- Flat carabiner spine offers excellent stability when holding it in your hand or pinch clipping
- STRING quickdraw sling protector stabilizes the carabiner when clipping
- Available in three lengths: 11 (turquoise or violet), 17 and 25 cm

Product Specifications

- Major axis strength: 23 kN
- Minor axis strength: 8 kN
- Open gate strength: 9 kN
- Gate opening:
- 24 mm straight gate
- 27 mm bent gate
- Material(s): Aluminum carabiner, polyester sling, TPE (thermoplastic elastomer) STRING
- Certification(s):
- Carabiner: CE EN 12275 type B, UIAA
- Sling: CE EN 566, UIAA

Spare Part(s)

AXESS C041BA00/1/2 DJINN M060LA00, M060LB00, M060LB01 STRING M090BA00

Specifications by Reference

		Reference	Version	Weight	Ó	- 0+	ģ	Made in	Case Quantity	EAN Code
Locking Carabiners			<u> </u>			l.				
WILLIAM	$\overline{\Omega}$	M36A SL	SCREW-LOCK	85 g	27 kN	8 kN	8 kN	FR	20	334254010236 ⁻
Large, pear-shaped locking carabiner for belay stations and belaying with a Munter hitch	Ö	M36A BL	BALL-LOCK	90 g						3342540102316
Am'D		M34A SL	SCREW-LOCK	70 g	27 kN	8 kN	7 kN	FR	20	3342540102477
D-shaped locking carabiner for	Ũ	M34A BL	BALL-LOCK	75 g						3342540102422
attaching devices to a harness		M34A RL	TWIST-LOCK	75 g						3342540102392
0.15		M39A SL	SCREW-LOCK	46 g	23 kN	8 kN	7 kN	FR	20	3342540817524
Sm'D Highly versatile, lightweight, compact, D-shaped locking carabiner	0	M39A RL	TWIST-LOCK	51 g						3342540817548
OK	0	M33A SL	SCREW-LOCK	70 g	25 kN	8 kN	7 kN	FR	20	3342540815810
Oval carabiner for use with	U	M33A TL	TRIACT-LOCK	75 g						334254081583
pulleys and ascenders	0	M33A BL	BALL-LOCK	75 g						3342540815858
ATTACHE Lightweight, compact, pear- shaped screw-lock carabiner	0	M38A SL	SCREW-LOCK	56 g	22 kN	7 kN	6 kN	FR	20	334254009771
Specialized Locking Carabiners										
FREINO Carabiner with friction spur for descenders	0	M42	TWIST-LOCK	85 g	25 kN	10 kN	9 kN	GB	25	3342540061859
OMNI	0	M37 SL	SCREW-LOCK	86 g	20 kN	15 kN	7 kN	IT	30	3342540071957
Semi-circle carabiner for closing a harness		M37 TL	TRIACT-LOCK	92 g						334254007197
VERTIGO WIRE-LOCK Carabiner for progression lanyard	0	M40A WLU	WIRE-LOCK	95 g	25 kN	10 kN	8 kN	IT	25	3342540097179

		Reference	Version	Weight	Ô	- 0-	\$	Made in	Case Quantity	EAN Code
Non-Locking Carabiners										
ANGE S		M57 O	Orange	28 g	20 kN	7 kN	9 kN	FR	28	3342540088986
Ultra-light, compact carabiner with MonoFil gate		M57 G	Light Gray							3342540088979
ANGE L		M59 B	Blue	34 g	22 kN	7 kN	10 kN	FR	28	3342540088993
Lightweight carabiner with MonoFil gate		M59 G	Dark Gray							3342540089006
SPIRIT	NEW 2023	M061AA00	Straight gate, gray	37 g	23 kN	7 kN	8 kN	FR	28	3342540841413
Lightweight, versatile carabiner for sport climbing	Õ	M061AB00	Bent gate, blue							3342540841437
	Ñ	M061AB02	Bent gate, gray							3342540841840
	Õ	M061AB03	Bent gate, violet							3342540841826
	Ũ	M061AB04	Bent gate, green							3342540841833
	Ũ	M061AB05	Bent gate, red							3342540841857
	Ũ	M061AB06	Bent gate, yellow							3342540841864
Pack of 6 SPIRIT Carabiners		M061AB01	Bent gate	37 g	23 kN	7 kN	8 kN	FR	3	3342540841444
DJINN	NEW 2023	M060LA00	Straight gate, gray	44 g	23 kN	8 kN	9 kN	FR	28	3342540841390
Durable carabiner for sport climbing	Ũ	M060LB00	Bent gate, turquoise							3342540841406
	Ũ	M060LB01	Bent gate, violet							3342540841529
Sm'D WALL Compact, lightweight D-shaped carabiner ideal for aid climbing and racking gear		M39A S	-	41 g	23 kN	8 kN	7 kN	FR	20	3342540817531

		5 (Sling			biner	Sling		Case	a .
		Reference	Length	Weight	Upper	Lower	Strength	Made in	Quantity	EAN Code
Quickdraws										
ANGE FINESSE	0000	M057AA00	10 cm	63 g	ANGE S	ANGE S	22 kN	FR	10	3342540825192
Ultra-light quickdraw for	9444	M057AA01	17 cm	66 g	ANGE S	ANGE S				3342540825208
alpine, ice climbing, and mountaineering		M057BA00	17 cm	72 g	ANGE S	ANGE L				3342540825512
3	OĀĀĀ	M057CA00	17 cm	78 g	ANGE L	ANGE L				3342540825529
	000									
SPIRIT EXPRESS	NEW 2023	M061AC00	11 cm	89 g	SPIRIT	SPIRIT	22 kN	FR	20	3342540841451
Lightweight, versatile quickdra		M061AC01	17 cm	95 g	straight	bent				3342540841468
for sport climbing	7 1 1	M061AC02	25 cm	104 g					10	3342540841475
	41									
	OUN									
	9									

		Б.	Sling		Cara	biner	Sling		Case	5411.0
		Reference	Length	Weight	Upper	Lower	Strength	Made in	Quantity	EAN Code
DJINN AXESS Durable quickdraw for	2000	M060LC01	11 cm	103 g	DJINN straight	DJINN bent, turquoise	22 kN	FR	20	3342540841482
sport climbing		M060LC02	11 cm	103 g		DJINN bent, violet				3342540841499
	3300	M060LC03	17 cm	110 g		DJINN bent, turquoise				3342540841505
		M060LC04	25 cm	120 g		DJINN bent, turquoise			10	3342540841611

		Reference	Length	Weight	Sling Strength	Made in	Case Quantity	EAN Code
Quickdraw Slings and Accesso	ories						_	
FINESSE		C042AA00	10 cm	7 g	22 kN	MY	150	3342540825710
Ultra-light quickdraw sling with STRING		C042AA01	17 cm	10 g				3342540825727
EXPRESS	NEW 2023	C040CA00	11 cm	15 g	22 kN	MY	150	3342540840416
Ergonomic quickdraw	2023	C040CA01	17 cm	21 g			100	3342540840423
sling with STRING		C040CA02	25 cm	30 g	-			3342540840430
AXESS	NEW 2023 • •	C041BA00	11 cm	15 g	22 kN	MY	150	3342540840591
Durable quickdraw	2023)	C041BA01	17 cm	22 g			100	3342540840614
sling with STRING	•1	C041BA02	25 cm	32 g				3342540840621
STRING Quickdraw sling protector that	NEW 2023	M090BA00	М	3 g	-	FR	25	3342540841802
also maintains the orientation of the carabiners on the EXPRESS and AXESS slings (pack of 10)	x 10)						







































Ice Axes for Each Activity

		Version	Ski Touring	Glacier Travel	Classic Mountaineering	Steep Skiing	Technical Mountaineering	Ice Climbing	Dry Tooling
RIDE		Adze	***	*		**			
GLACIER		Adze	*	***	*				
GLACIER LITERIDE		Adze	***	*		*			
SUMMIT®		Adze		**	***				
SUMMIT® EVO	T	Adze		**	***		*		
SUM'TEC (1)	F	Adze or Hammer	*		**	**	***	*	
GULLY	T	Adze or Hammer	**		*	***	**		
QUARK (1)	(Adze or Hammer			*	**	***	**	
NOMIC (1)	(Mini Hammer					**	***	**
ERGONOMIC (1)	{	Mini Hammer					*	***	***

★★★ Ideal Use

★★ Suitable Use


★ Possible Use

Modular Ice Axes With the ALPEN ADAPT System



With the ALPEN ADAPT system, all ice axes for technical mountaineering, ice climbing, and dry tooling have a modular head that can be adapted to the specific demands of the terrain. Certain picks and handrests are also modular.

Ice Axe/Accessory Compatibility for Technical Mountaineering, Ice Climbing, and Dry Tooling



^{*} Accessory included with ice axe

⁽¹⁾ Ice axe with modular head

Ice Axe Use and Standards

The range of Petzl ice axes is composed of different families:

- Ice axes for glacier travel and ski mountaineering
- Classic mountaineering ice axes
- Technical mountaineering ice axes
- Ice axes for ice climbing and dry tooling

Each one of these ice axes has characteristics specific to its use on the terrain, such as the length, shape of the shaft, and shape of the pick.


Standards

In terms of standards, ice axes are divided into two types: Type 1 and Type 2. These types make a distinction between basic and technical ice axes.

This distinction is made using different tests:

- Shaft center-load pull test
- Shaft insertion strength test
- Pick levering test

These tests are detailed in the diagrams here.




Pull Test

Type 1 Ice Axes

These ice axes have a lower strength requirement than Type 2 ice axes. They are generally used for skiing, glacier travel, and classic mountaineering. For Type 1 ice axes, no marking is required, but if there is any, the marking is: B.


Type 2 Ice Axes

These ice axes have the highest strength required by the standard. They are primarily used for technical mountaineering, ice climbing, and dry tooling. For Type 2 ice axes, markings are required. The marking is: T.



F - Type 1 0.6 kN F - Type 2 0.9 kN

Shaft Insertion Strength Test



Levering Test



		Reference	Version	Weight	Pick Type	Shaft Type	Made in	Case Quantity	EAN Code	9 0
Ice Axes for Glacier Travel and Ski	Mountaineer	ing								
RIDE Compact, ultra-lightweight ice axe for ski touring and freeriding		U04A 45	45 cm	240 g	1	1	FR	5	3342540106314	
GLACIER		U01B 060	60 cm	350 g	1	1	FR	5	3342540100589	-
Lightweight performance	A	U01B 068	68 cm	370 g	•				3342540100602	
ice axe for glacier travel		U01B 075	75 cm	390 g					3342540100619	
GLACIER LITERIDE Lightweight ice axe for glacier skiing		U01B 050	50 cm	320 g	1	1	FR	5	3342540100596	
Classic Mountaineering Ice Axes										
SUMMIT®	r	U13B 052	52 cm	360 g	1	1	FR	5	3342540100626	
Classic mountaineering ice axe	1	U13B 059	59 cm	380 g					3342540100633	
	1	U13B 066	66 cm	400 g					3342540100640	
	-	U14B 052	52 cm	400 g	1	1	FR	5	3342540100657	1
SUMMIT® EVO		U14B 059	59 cm	420 g		'	'''		3342540100664	
Technical performance ice axe for classic mountaineering	1	U14B 066	66 cm	450 g	_				3342540100671	_
Technical Mountaineering Ice Axe SUM'TEC Modular ice axe for technical mountaineering	s P	U015AA00 U015BA00	55 cm Adze 55 cm hammer	470 g	2	2	FR	5	3342540818965 3342540818958	
GULLY Ultra-lightweight ice axe for		U014AA00	45 cm Adze	280 g	1	1	FR	5	3342540818941	-
technical mountaineering and steep skiing	1 1	U014BA00	45 cm Hammer						3342540818934	
QUARK	MM	U019AA00	50 cm Adze	550 g	2	2	FR	5	3342540823617	
Versatile ice axe for technical mountaineering and ice climbing	tt	U019BA00	50 cm Hammer						3342540823624	-
Axes for Ice Climbing and Dry Too	ling								00.405.4000000]
NOMIC Ice climbing axe	(U021AA00	-	585 g	1	2	FR	5	3342540823631	
ERGONOMIC Performance ice climbing and dry tooling axe	(U022AA00	-	635 g	2	2	FR	5	3342540823648	

	Reference	Weight	Pick Type	Made in	Case Quantity	EAN Code
Ice Axe Accessories						
ICE Pick for ice and mixed climbing, designed for ice axes with modular heads	U19 ICE	129 g	2	FR	10	3342540088900
PUR'ICE Pick designed specifically for ice climbing, intended for ice axes with modular heads	U021CA00	105 g	1	FR	10	3342540824188
DRY Pick for dry tooling, designed for ice axes with modular heads	U19 DRY	129 g	2	FR	10	3342540088917
PUR'DRY Pick exclusively designed for dry tooling, for NOMIC and ERGONOMIC ice axes	U022BA00	140 g	2	FR	10	3342540824126
MINI MARTEAU Ultra-light hammer for ice axes with modular head	U021BA00	20 g	-	ES	10	3342540824201
MARTEAU Hammer for ice axes with modular head	U19 MAR	58 g	-	ES	10	3342540088931
PANNE Adze for ice axes with modular head	U19 PAN	69 g	-	ES	10	3342540088924
TRIGREST Adjustable handrest for classic and technical mountaineering ice axes	U016AA00	15 g	-	FR	10	3342540819061
GRIPREST NOMIC Handrest for NOMIC ice axe	U021DA00	40 g	-	TN	10	3342540824218
GRIPREST ERGONOMIC Handrest for ERGONOMIC ice axe	U022CA00	35 g	-	TN	10	3342540824195
FREELOCK Fixed leash for technical ice axe	U81000	40 g	-	RO	10	3342540055353
V-LINK Elasticated loss-prevention webbing for technical ice axes	U083AA00	80 g	-	TW	125	3342540817470



		Reference	Weight	Pick Type	Made in	Case Quantity	EAN Code
Ice Axe Accessories							
LINKIN Removable leash for mountaineering ice axe		U82002	25 g	-	CN	15	3342540100688
MASSELOTTES Weights for technical mountaineering, ice climbing, and dry tooling ice axes	I	U021EA00	65 g	-	ES	10	3342540824119
PICK AND SPIKE PROTECTION of Protector caps for ice axe pick and spike	H	U82003	13 g	-	CN	15	3342540100695























Petzl crampons are designed for moving over different types of terrain. Each one is designed for a specific use. However, their versatility also enables efficient movement in mixed terrain, commonly encountered in alpine environments.

T

Crampons for Each Activity

		Ski Touring	Snow Travel	Glacier Travel	Classic Mountaineering	Technical Mountaineering	Ice Climbing	Dry Tooling
LEOPARD FL	*		***					
LEOPARD LLF	A 40	***	***					
IRVIS® HYBRID	War and the second	***	**	**	*			
IRVIS®	Real Property	**	**	***	*			
VASAK®	The second	*	**	***	***	*		
SARKEN	The state of the s		*	**	**	***	*	
LYNX®						***	***	**
DART	R					**	***	***
D-LYNX	P						*	***

★★★ Ideal Use

★★ Suitable Use

★ Possible Use

Crampon Binding Options

		LEOPARD FL	LEOPARD LLF	IRVIS® HYBRID	IRVIS®	VASAK®	SARKEN	LYNX®	DART	D-LYNX
FLEXLOCK	PP	•			•	•				
LEVERLOCK FIL	P		•						•	Screws
LEVERLOCK UNIVERSEL	FIL FLEX			•	•	•	•	•		directly onto boots

Binding/Boot Compatibility

- 0					
					1000 D
FLEXLOCK	PD	\checkmark	V	\checkmark	\triangle
LEVERLOCK FIL	P	X	X	\checkmark	\checkmark
LEVERLOCK	FIL FLEX	×	V	\	\triangle
UNIVERSEL	FIL	×	×	V	V

Compatible

X Gear Incompatibility

Exposure to potential risk of accident or injury

Modular Crampons With the ALPEN ADAPT System



All Petzl crampons offer interchangeable binding systems to adapt to different boots or shoes, with or without toe and heel welts. Front sections and heel pieces are also modular to meet your needs according to the terrain.





































	ı	Reference	Binding System	Weight	Number of Points	Boot Sizes	Made in	Case Quantity	EAN Code
Crampons for Glacier Travel and	d Ski Mountainee	ring							
LEOPARD LLF Ultra-lightweight crampon with LEVERLOCK FIL binding, for ski touring and snow travel	RA	T01A LLF	LEVERLOCK FIL	320 g	10	36 - 46	FR	6	3342540105485
LEOPARD FL Ultra-lightweight crampon with FLEXLOCK binding, for snow approaches	The second	T01A FL	FLEXLOCK	384 g	10	36 - 46	FR	6	3342540105492
IRVIS® HYBRID Hybrid crampons, with steel front piece and aluminum heel piece, for approaches and glacier skiing, with LEVERLOCK UNIVERSEL binding	ST.	T02A LLU	LEVERLOCK UNIVERSEL	540 g (FIL) 570 g (FIL FLEX)	10	36 - 46	FR	6	3342540106208
IRVIS®	P	T03A LLU	LEVERLOCK	736 g (FIL)	10	36 - 45	FR	6	3342540104341
Crampons for glacier travel, classic mountaineering, and ski touring	A CONTRACTOR OF THE PARTY OF TH	T03A FL	UNIVERSEL FLEXLOCK	766 g (FIL FLEX) 790 g					3342540104358
Classic Mountaineering Crampo	ons				J				
VASAK®	F	T05A LLU	LEVERLOCK UNIVERSEL	842 g (FIL) 872 g (FIL FLEX)	12	36 - 50	FR	6	3342540104372
Classic mountaineering crampons with LEVERLOCK UNIVERSEL or FLEXLOCK bindings		T05A FL	FLEXLOCK	892 g					3342540104365
Technical Mountaineering Cram	ipons								
SARKEN Technical mountaineering crampons with LEVERLOCK UNIVERSEL bindings	·	T10A LLU	LEVERLOCK UNIVERSEL	872 g (FIL) 902 g (FIL FLEX)	12	36 - 50	FR	6	3342540104334
Crampons for Ice Climbing and	Dry Tooling								
LYNX® Modular crampons designed for ice climbing, technical mountaineering, and mixed climbing.	1947	T24A LLU	LEVERLOCK UNIVERSEL	1020 g (with ANTISNOW)	14	- 35 to 45 with M linking bar (included) - 40 to 50 with L linking bar (optional)	FR	6	3342540104402
DART Modular crampons for ice climbing and dry tooling, with LEVERLOCK FIL bindings		J001AA00	LEVERLOCK FIL	870 g	12	- 34 to 44 with M linking bar (included) - 38 to 49 with L linking bar (optional)	FR	6	3342540828599
D-LYNX Screw-in mono-point crampon for dry tooling and mixed climbing	P	T25	-	400 g	9	-	FR	4	3342540092259



	R	eference	Weight	Compatibility	Made in	Case Quantity	EAN Code
Crampon Accessories		<u> </u>		l]	
IRVIS® Front Sections IRVIS crampon front sections, adaptable to all Petzl crampons	*	Г03A AV	275 g	LEOPARD FL, LEOPARD LLF, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	FR	12	3342540104563
VASAK® Front Sections VASAK crampon front sections, adaptable to most Petzl crampons		Γ05A AV	375 g	IRVIS, VASAK, SARKEN, LYNX, DART	FR	12	3342540104549
SARKEN Front Sections SARKEN crampon front sections, adaptable to most Petzl crampons		Γ10A AV	405 g	IRVIS, VASAK, SARKEN, LYNX, DART	FR	12	3342540104532
DART Front Sections DART crampon front sections, adaptable to all Petzl crampons	U	001EA00	415 g	LEOPARD FL, LEOPARD LLF, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	FR	12	3342540828612
LYNX [®] Front Point Kit	~//	T24850	150 g	LYNX, DART	FR	10	3342540092235
KIT CORD-TEC Ultra-light rear sections, compatible with IRVIS and DART crampons	Call Second	001GA00	120 g	LEOPARD LLF, LEOPARD FL, IRVIS HYBRID, IRVIS, DART	FR	12	3342540828636
FIL FLEX Toe bails that allow boots without welts to be used with technical mountaineering crampons	\$	TO3A FF	70 g	LEOPARD, IRVIS, VASAK, SARKEN, LYNX, DART	FR	10	3342540104556
BACK FLEX Heel bails that allow any type of Petzl crampon to be used with boots without heel welts	R	03A BFL	120 g	LEOPARD FL, LEOPARD LLF, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	FR	10	3342540818217
FIL Toe bails that allow any type of Petzl crampon to be used with boots with toe welts	1	Γ03A FIL	30 g	LEOPARD FL, LEOPARD LLF, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	FR	10	3342540818125
FIL SMALL Toe bails that allow any type of Petzl crampon to be used with narrow boots with toe welts	₽°	001FA00	30 g	LEOPARD FL, LEOPARD LLF, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	FR	10	3342540828629
FIL TELEMARK Toe bails that allow any type of Petzl crampon to be used with telemark boots		T03600	30 g	LEOPARD FL, LEOPARD LLF, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	FR	10	3342540065291
ELASTIC STRAP Elastic straps designed for the LEVERLOCK FIL binding system	U	001CA00	30 g	BACK LEVER	CN	10	3342540824461
BACK LEVER Heel bails that allow any type of Petzl crampon to be used on boots with heel welts	U	001BA00	100 g	LEOPARD FL, LEOPARD LLF, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	FR	10	3342540824454

	Reference	Weight	Compatibility	Made in	Case Quantity	EAN Code
2 Reversible Linking Bars, L	T20850	-	IRVIS, VASAK, SARKEN, LYNX, DART	FR	10	3342540055711
BAR Replacement linking bars for IRVIS, VASAK, and SARKEN crampons	T03A BA	110 g	IRVIS, VASAK, SARKEN	FR	10	3342540104525
FLEX Linking bars that create a flexible connection between the front and rear Petzl crampon sections, for use with flexible and/or larger sized footwear	T03A BS	70 g	IRVIS, VASAK, SARKEN, LYNX, DART	FR	10	3342540104518
ANITIONOM	T03A AS	-	IRVIS	FR	10	3342540104587
ANTISNOW System included with crampons that limits snow buildup under the crampons in a variety of snow conditions	T05A AS		VASAK, SARKEN			3342540104570
ANTISNOW LEOPARD System suitable for LEOPARD FL and LEOPARD LLF crampons. It limits snow buildup under the crampons in a variety snow conditions	T01A AS	-	LEOPARD FL, LEOPARD LLF	FR	10	3342540106338
ANTISNOW for LYNX® System compatible with LYNX crampons. It limits snow buildup under the crampons in a variety snow conditions	T24960	-	LYNX®	FR	10	3342540092266
ANTISNOW DART System compatible with DART crampons. It limits snow buildup under the crampons in a variety snow conditions	U001DA00	-	DART	FR	10	3342540828605
CORD-TEC Replacement Cord Replacement cord for the flexible linking system on LEOPARD LLF, LEOPARD FL, IRVIS HYBRID, and KIT CORD-TEC crampons	T01A COR	-	LEOPARD FL, LEOPARD LLF, IRVIS HYBRID	FR	10	3342540106321
FAKIR Pouch Durable crampon pouch	V01	140 g	LEOPARD FL, LEOPARD LLF, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	CN	15	3342540063341
CORD-TEC Pouch Ultra-light, compact pouch for CORD-TEC equipped crampons	U003BA00	30 g	LEOPARD FL, LEOPARD LLF, IRVIS HYBRID	TN	10	3342540828728
ULTRALIGHT Pouch Ultra-lightweight pouch for crampons	U003AA00	50 g	LEOPARD FL, LEOPARD LLF, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	TN	32	3342540828667



































Petzl ascenders are designed for ascending fixed ropes, but they also have other uses including helping a second climber who is having trouble, hauling a victim out of a crevasse or up a wall, or self-belaying. For this, there are several types of ascenders: hand ascenders, chest ascenders and back-up ascenders.





Hand Ascenders

Because of their excellent handling, these ascenders are mainly used for ascending ropes. Their design also provides various ways to install the device on a rope to make a pulley system or haul a pack.





ASCENSION


Handled ascender with a comfortable, powerful grip



BASIC

Compact and lightweight ascender






Rope ascent with hand ascender installed above the user

Examples of other ways to use hand ascenders



Hauling with an ASCENSION handled ascender



Pulley system with a BASIC ascender

Chest Ascenders

Installed directly to the harness, they are used with a hand ascender for ascending a rope.



CROLL® S

Reinforced chest ascender for thin to medium-diameter ropes



CROLL® L

Chest ascender for largediameter ropes






Back-Up Ascender




TIBLOC

Ultralight and compact, TIBLOC is a back-up ascender that adapts readily to situations other than ascending ropes, such as pulley systems or progress capture.



Pulley System



Progress Capture



Ascending a Rope

Ascender Accessories

For greater efficiency and convenience when ascending, Petzl offers accessories for use with hand and chest ascenders.





PANTIN Foot Ascender



FOOTAPE Adjustable webbing foot loop



FOOTCORD


Adjustable foot loop made with HMPE cord for greater versatility and optimal durability

Locking Systems



Rope blocking with toothed cam (all ascenders except TIBLOC)

The teeth initiate the locking action and the cam pinches the rope. Blocking is optimal in a variety of conditions, including when the rope is wet, frozen, or muddy, all while reducing the effort needed to slide the device upward.



Rope blocking via carabiner compression and toothed frame (TIBLOC)

The carabiner compresses the rope into the toothed frame. The self-cleaning slot enables use in a variety of conditions, including when the rope is wet, icy, or muddy. Ultra-light solution using only the teeth and carabiner to block the rope.

Choosing Your Ascender

	ASCENSION BASIC		CROLL® S	CROLL® L	TIBLOC			
	ACCENCION	BAOIO	OHOLE 0	OHOLE L	TIBEOO			
Ascender Type	Ha	nd	Ch	Back-up				
Locking System		Toothed Cam						
Ideal Use	Rope ascent, hauling	Rope ascent, pulley system	Rope ascent, with	Rope ascent, haul system, progress capture				
Rope compatibility	8 to 13 mm	8 to 11 mm	8 to 11 mm	8 to 13 mm	8 to 11 mm			
Weight	165 g	85 g	85 g	140 g	35 g			



	Version	Weight	Rope Diameter	Made in	Case Quantity	EAN Code
		\\\\\\\\\				
B17ALA	Left (black)	165 g	8 to 13 mm	FR	10	3342540100411
B17ARA	Right (yellow)					3342540100404
B16BAA	-	85 g	8 to 11 mm	FR	12	3342540094307
B016AA00	-	140 g	8 to 13 mm	FR	16	3342540821057
B02CLA	Left (black)	85 g	8 to 13 mm	FR	8	3342540103771
B02CRA	Right (yellow)					3342540103764
B18BAA	-	85 g	8 to 11 mm	FR	10	3342540094314
8						
B01B	-	35 g	8 to 11 mm	FR	8	3342540101418
C47A	-	65 g	-	FR	8	3342540095229
C48A	-	40 g	-	FR	10	3342540095236
	B17ARA B16BAA B016AA00 B02CLA B02CRA B01B C47A	B17ARA Right (yellow) B16BAA - B016AA00 - B02CLA Left (black) B02CRA Right (yellow) B18BAA - B01B - C47A -	B17ARA Right (yellow) B16BAA - 85 g B016AA00 - 140 g B02CLA Left (black) B02CRA Right (yellow) B18BAA - 85 g B01B - 35 g	B17ARA Right (yellow)	B17ARA Right (yellow) B16BAA - 85 g 8 to 11 mm FR	B17ARA Right (yellow) B16BAA - 85 g 8 to 11 mm FR 12









































	Reference	Weight	Rope Diameter	Efficiency	Made in	Case Quantity	EAN Code
Progress-Capture Pulleys				,		·	
MINI TRAXION High-efficiency, openable progress-capture pulley	P054AA00	140 g	7 to 11 mm	93 %	FR	15	3342540841871
MICRO TRAXION High-efficiency, lightweight progress-capture pulley	P53	85 g	8 to 11 mm	91 %	FR	18	3342540091986
NANO TRAXION High-efficiency, ultra-lightweight progress-capture pulley	P053AA00	53 g	7 to 11 mm	91 %	FR	8	3342540835481
Crevasse Rescue Kit							
CREVASSE RESCUE KIT Kit for hauling and self- rescue from crevasses	K025AA00	370 g	8 to 11 mm	-	FR	4	3342540829374
Single Pulleys				<u> </u>			
PARTNER Compact pulley with moving side plates	P52A	56 g	7 to 11 mm	91 %	FR	12	3342540087811
RESCUE High-strength pulley with moving side plates	P50A	185 g	7 to 13 mm	95 %	FR	10	3342540087798
FIXE Pulley with fixed side plates	P05SO	90 g	7 to 13 mm	71 %	FR	12	3342540087347
OSCILLANTE Emergency pulley with moving side plates	P02A	42 g	7 to 11 mm	71 %	FR	24	3342540087330
ULTRALEGERE Emergency pulley	POOA	10 g	7 to 13 mm	-	FR	30	3342540087354
Prusik Pulleys							
MINI Lightweight Prusik pulley	P59A	80 g	7 to 11 mm	91 %	FR	10	3342540087729
GEMINI Double Prusik pulley	P66A	135 g	7 to 11 mm	91 %	FR	8	3342540087743
Transport Dullers							
Transport Pulleys TANDEM®	P21	195 g	Max Rope: 13 mm	71 %	FR	20	3342540025929
Double pulley for travel along ropes							
TANDEM® SPEED Efficient double pulley for travel along ropes	P21 SPE	270 g	Max Rope: 13 mm	95 %	FR	20	3342540041868





Lanyards are essential in many activities including via ferrata, caving, and canyoning. Petzl offers lanyards with or without energy absorbers, that respond to the specific needs of these activities.

T

Via Ferrata Lanyards

· For participants weighing 40 to 120 kg



SCORPIO lanyards meet the EN 958: 2017 standard, authorizing use by those weighing between 40 and 120 kg.

Their energy absorber is composed of tear-webbing. In the event of a fall, the tearing of the energy absorber reduces the impact of the fall on the user. This tearing takes place progressively.


Concept:

- The length of tearing required for shock absorption depends on the energy generated by the fall, which is determined by the length of the fall and the weight of the user
- The greater the energy, the longer the deployment

· Comfortable and durable



The lanyard is closely connected to the harness, making it more comfortable to use.



Two elasticized arms have long extension capacity to adapt to different heights. Their high-modulus polyethylene (HMPE) construction makes the arms extremely durable.

• SCORPIO VERTIGO for less weight and more durability



The VERTIGO WIRE-LOCK carabiner has an auto-locking system. The WIRE-LOCK system increases the lifetime of the carabiner when used intensively.

SCORPIO EASHOOK, for an even more comfortable experience



The EASHOOK carabiner features an auto-locking system. It offers excellent handling and is suitable for all hand sizes.

The anti-twist system helps prevent the arms from tangling and makes progression more comfortable.

Via Ferrata Kits: Essential for Adventure



KIT VIA FERRATA VERTIGO



KIT VIA FERRATA EASHOOK


Each kit contains a SCORPIO VERTIGO or SCORPIO EASHOOK lanyard, CORAX harness, and BOREO® helmet.




Lanyards for Climbing, Mountaineering, Caving, and Canyoning

Petzl offers many types of lanyards including dynamic, static, single, double, asymmetrical, and adjustable.


• Lanyards Designed for Different Uses



The CONNECT ADJUST single lanyard allows the user to position him/herself at an anchor.



The DUAL CONNECT ADJUST and DUAL CONNECT VARIO double lanyards can be used to tether oneself when setting up a rappel system while climbing or mountaineering.



The asymmetrical SPELEGYCA double lanyard has multiple different uses when caving, such as tethering oneself, passing intermediate anchors, or ascending a rope.



The DUAL CANYON CLUB, DUAL CANYON GUIDE, and DUAL CONNECT VARIO lanyards allow positioning at the anchor and progression along a lifeline when canyoning.

. Length can be selected using the ADJUST rope adjuster




Lanyards equipped with the ADJUST rope adjuster allow for quick and precise length selection of the adjustable arm. This adjustment option allows optimal positioning when at the anchor.

• Versatile DUAL CONNECT VARIO lanyard



This lanyard may be used for tethering oneself, or for installing a rappel system or equalized belay station.

Choosing Your Lanyard





		Reference	Weight	Specifics	Made in	Case Quantity	EAN Code
Via Ferrata Lanyards			<u> </u>				
SCORPIO EASHOOK Via ferrata lanyard with EASHOOK carabiners and anti- twist system, for participants weighing 40 to 120 kg		L060BA00	470 g	- Retracted length: 84.5 cm - Short arm length: 36 cm	TW	10	3342540819078
KIT VIA FERRATA EASHOOK	V V	K029DB00	1270 g	- Harness: size 1 / 65 - 96 cm - Helmet: size M/L / 53 - 61 cm	TW	4	3342540841758
Via ferrata kit including a SCORPIO EASHOOK lanyard, CORAX harness, and BOREO helmet	YZ	K029DB01	1320 g	- Harness: size 2 / 76 - 107 cm - Helmet: size M/L / 53 - 61 cm			3342540841765
SCORPIO VERTIGO Via ferrata lanyard with VERTIGO WIRE-LOCK carabiners, for participants weighing 40 to 120 kg		L060AA00	380 g	- Retracted length: 77 cm - Short arm length: 32 cm	CN	10	3342540819085
KIT VIA FERRATA VERTIGO	0 0	K029CB00	1180 g	- Harness: size 1 / 65 - 96 cm	CN	4	3342540841734
via ferrata kit including a SCORPIO VERTIGO anyard, CORAX harness, and BOREO helmet	YZ	K029CB01	1230 g	- Helmet: size M/L / 53 - 61 cm - Harness: size 2 / 76 - 107 cm - Helmet: size M/L / 53 - 61 cm			3342540841741
Climbing and Mountaineering Lan	yards						
CONNECT ADJUST Adjustable single lanyard for climbing and mountaineering		L034AA00	125 g	- length: 15 - 95 cm	TW	25	3342540835467
DUAL CONNECT ADJUST Adjustable double lanyard for climbing and mountaineering		L035BA00	160 g	- Fixed arm length: 45 cm - Adjustable arm length: 15 to 95 cm	TW	20	3342540835474
DUAL CONNECT VARIO Completely adjustable double lanyard and anchor system for climbing and mountaineering	•	L087AA00	180 g	- Length: 180 cm	TW	5	3342540832985
Caving Lanyard							
SPELEGYCA Asymmetric double anyard for caving		L002AA00	90 g	- Strength: 15 kN	FR	15	3342540829756
Canyoning Lanyards							
DUAL CANYON CLUB Double lanyard for canyoning	9 9	L086AB00	130 g	- Length: 65 cm	DE	20	3342540835610
DUAL CANYON GUIDE Adjustable double lanyard for canyoning		L086BB00	175 g	- Fixed arm length: 65 cm - Adjustable arm length: 15 to 80 cm	TW	20	3342540835627





	Reference	Weight	Specifics	Made in	Case Quantity	EAN Code
Climbing Kit		1				
KIT CORAX GRIGRI Sm'D	K032AA00	700 g	- Gray harness: size 1 / 65 - 96 cm	MY	6	3342540835658
Climbing kit containing CORAX harness, GRIGRI assisted blocking belay device, and Sm'D carabiner	K032AA01	750 g	- Gray harness: size 2 / 76 - 107 cm			3342540835665
Via Ferrata Kits						
KIT VIA FERRATA EASHOOK	K029DB00	1270 g	- Harness: size 1 / 65 - 96 cm - Helmet: size M/L / 53 - 61 cm	TW	4	3342540841758
Via ferrata kit including a SCORPIO EASHOOK lanyard, CORAX harness, and BOREO helmet	K029DB01	1320 g	- Harness: size 2 / 76 - 107 cm - Helmet: size M/L / 53 - 61 cm			3342540841765
KIT VIA FERRATA VERTIGO	K029CB00	1180 g	- Harness: size 1 / 65 - 96 cm - Helmet: size M/L / 53 - 61 cm	CN	4	3342540841734
Via ferrata kit including a SCORPIO VERTIGO lanyard, CORAX harness, and BOREO helmet	K029CB01	1230 g	- Harness: size 2 / 76 - 107 cm - Helmet: size M/L / 53 - 61 cm			3342540841741
Rescue Kits						
RAD SYSTEM A complete ultra-lightweight and compact kit with specific cord, designed for skiers doing crevasse rescue, rappelling, or roping up on a glacier to get out of a crevasse zone	K011AA00	1000 g	- Cord length: 30 m	CZ	3	3342540832626
CREVASSE RESCUE KIT Kit for hauling and self- rescue from crevasses	K025AA00	370 g	- Rope diameter: 8 to 11 mm	FR	4	3342540829374






	Reference	Length	Weight	Made in	Case Quantity	EAN Code
Ice Anchors	<u>'</u>		·		'	ı
LASER SPEED LIGHT	G052AA00	13 cm	91 g	FR	12	3342540832701
Ultra-lightweight ice screw	G052AA01	17 cm	100 g			3342540832718
with integrated crank	G052AA02	21 cm	110 g			3342540832725
LASER SPEED	G051AA00	13 cm	128 g	FR	12	3342540832664
Ultra-high-performance ice	G051AA01	17 cm	143 g			3342540832671
screw with integrated crank	G051AA02	21 cm	161 g			3342540832688
LASER SPEED 10 cm Ultra-high-performance progression ice screw with integrated crank	G051AA03	10 cm	113 g Not available in France	FR	12	3342540832695
LASER	G050AA00	13 cm	120 g	FR	12	3342540832633
Lightweight, high-	G050AA01	17 cm	135 g			3342540832640
performance ice screw	G050AA02	21 cm	153 g			3342540832657
Ice Protection Accessories						
MULTIHOOK Multi-function, foldable threading tool	U002AA00	28 cm	40 g	FR	20	3342540828650
OCTO Protective carrying pouch for ice screws	U010AA00	-	160 g	CN	50	3342540828643

		Reference	Diameter	Drilling Depth	Weight	Made in	Case Quantity	EAN Code
Rock Anchors		,						
COEUR BOLT STEEL		P36BA 10	10 mm	8.5 cm	110 g	FR	1	3342540104198
Steel anchor for interior uses (pack of 20)	x 20	P36BA 12	12 mm	10.5 cm	135 g			3342540104136
COEUR STEEL	-lo	P36AA 10	10 mm	-	65 g	FR	4	3342540104174
COEUR STEEL Steel hanger for interior uses (pack of 20)	x 20	P36AA 12	12 mm		60 g			3342540104150
COELID BOLT STAINLESS		P36BS 10	10 mm	7 cm	110 g	DE	1	3342540104181
COEUR BOLT STAINLESS Stainless steel anchor for typical exterior use (pack of 20)	x 20	P36BS 12	12 mm	8.5 cm	135 g			3342540104129
COEUR STAINLESS	E	P36AS 10	10 mm	-	65 g	FR	4	3342540104167
Stainless steel hanger for typical exterior use (pack of 20)	x 20	P36AS 12	12 mm		60 g			3342540104143
COEUR BOLT HCR High Corrosion Resistance stainless steel anchor for corrosive environments (pack of 20)	x 20	P36BH 12	12 mm	8.5 cm	135 g	DE	1	3342540104105
COEUR HCR High Corrosion Resistance stainless steel hanger for corrosive environments (pack of 20)	x 20	P36AH 12	12 mm	-	60 g	FR	4	3342540104112

		Reference	Diameter	Drilling Depth	Weight	Made in	Case Quantity	EAN Code
COEUR PULSE Removable 12 mm anchor with locking function		P37S 12	12 mm	6.5 cm	140 g	FR	8	3342540815889
PULSE Temporary 8 mm anchor for caving		P37S 8	8 mm	5 cm	45 g	FR	8	3342540818446
BAT'INOX 14 mm resin anchor (pack of 10)	O	G102AA00	14 mm	10 cm	250 g	FR	2	3342540829824
AMPOULE BAT'INOX Resin glue for BAT'INOX (pack of 10)	x 10	G103AA00	-	-	20 g	NL	9	3342540829862
COLLINOX 10 mm resin anchor (pack of 10)	X 10	G100AA00	10 mm	7 cm	95 g	FR	2	3342540829817
AMPOULE COLLINOX Resin glue for COLLINOX (pack of 10)	x 10	G101AA00	-	-	14 g	NL	14	3342540829855

		Reference	Length	Weight	Made in	Case Quantity	EAN Code
Pitons							
V CONIQUE	D	66007	7 cm	-	FR	10	3342540660076
Chromoly steel knifeblade piton	ľ	66011	11 cm	95 g			3342540660113
UNIVERSEL	0	P17 5	5 cm	-	FR	10	3342540089716
Semi-hardened steel forged piton	V	P17 7	7 cm	95 g			3342540089723
		P179	9 cm	-			3342540089730
ROCHER MIXTE	Ъ	65106	6 cm	-	FR	10	3342540651067
Semi-hardened steel forged piton		65108	8 cm	90 g			3342540651081
	,	65110	10 cm	-			3342540651104
U	()	65312	10 cm	125 g	FR	10	3342540653122
Semi-hardened steel forged piton		65314	12 cm	-			3342540653146
LIVANOS	l b	65504	4 cm	-	FR	10	3342540655041
Chromoly steel knifeblade piton	٢	65506	6 cm	-			3342540655065
		65508	8 cm	48 g			3342540655089
		65510	10 cm	-			3342540655102
Rock and Caving Anchors							
VRILLEE Caving bolt hanger (pack of 25)	0 x 25	G104AA00	-	32 g	FR	2	3342540829831
COUDEE Caving bolt hanger (pack of 25)	x 25	G105AA00	-	32 g	FR	2	3342540829848



	Reference	Unit Weight	Major Axis Strength	Minor Axis Strength	Made in	Case Quantity	EAN Code
Quick Links		·				,	
DELTA Triangular quick link	○ P11	150 g	45 kN	10 kN	FR	30	3342540008649
SPEEDY Quick link with rapid gate (pack of 5)	G106AA00	23 g	15 kN	-	FR	20	3342540829879
GO 8 mm	x10 P015AA00	95 g	30 kN	10 kN	FR	8	3342540833012
8 mm wide-opening, galvanized steel quick link	x1 P015AA01					50	3342540834996
DEMI ROND Semi-circular quick link	P18	55 g	25 kN	10 kN	FR	30	3342540008823

Reference	Weight	Specifics	Made in	Case Quantity	EAN Code
			`	,	
P27	680 g	Length: 33 cm	FR	10	3342540070486
P16	535 g	Length: 26.5 cm	FR	10	3342540008755
P26	198 g	-	FR	10	3342540038462
P26250	37 g	-	FR	50	3342540057357
P08	208 g	Diameter: 8 mm	FR	10	3342540008526
C11 A	170 g	-	CN	15	3342540087309
R003AA00	130 g	-	KH	58	3342540839717
P58 S	95 g	Breaking strength: 23 kN Working load: 5 kN	П	10	3342540070868
G063AA00	60 g	Breaking strength: 36 kN	IT	10	3342540835870
	P27 P16 P26 P26 P26250 P08 C11 A R003AA00 P58 S	P27 680 g P16 535 g P26 198 g P26250 37 g P08 208 g C11 A 170 g R003AA00 130 g P58 S 95 g	P27 680 g Length: 33 cm P16 535 g Length: 26.5 cm P26 198 g - P26250 37 g - P08 208 g Diameter: 8 mm C11 A 170 g - R003AA00 130 g - P58 S 95 g Breaking strength: 23 kN Working load: 5 kN	P27 680 g Length: 33 cm FR P16 535 g Length: 26.5 cm FR P26 198 g - FR P26250 37 g - FR P08 208 g Diameter: 8 mm FR C11 A 170 g - CN R003AA00 130 g - KH P58 S 95 g Breaking strength: 23 kN Working load: 5 kN	P27



		Reference	Length	Color	Weight	Made in	Case Quantity	EAN Code
Sewn Slings		,				·		
ANNEAU	എ	C40A 60	60 cm	Yellow	60 g	MY	50	3342540103436
Polyester sling		C40A 80	80 cm	Blue	80 g			3342540105140
		C40A 120	120 cm	Green	100 g		25	3342540103429
<u> </u>		C40A 150	150 cm	Red	135 g			3342540105133
ST'ANNEAU	<u></u>	C07 24	24 cm	Green	10 g	FR	50	3342540071773
Lightweight sewn sling		C07 60	60 cm	Yellow	20 g			3342540071780
		C07 120	120 cm	Red	40 g		25	3342540071797
PUR'ANNEAU	d)	G006AA00	60 cm	Yellow	18 g	FR	50	3342540817555
Ultra-light sewn sling		G006AA01	120 cm	Red	32 g		25	3342540817562
Ultra-light sewn sling		G006AA02	180 cm	Violet	48 g		15	3342540817579







































Crashpads



		Reference	Unfolded Dimensions	Folded Dimensions	Weight	Made in	Case Quantity	EAN Code
Crashpads						•		
ALTO Crashpad for bouldering	PETAL	K02AO	118 x 100 x 10 cm	65 x 100 x 25 cm	5700 g	FR	1	3342540099746
CIRRO Large crashpad for bouldering	PETAL	K01AO	148 x 118 x 12.5 cm	75 x 118 x 35 cm	9400 g	FR	1	3342540098473
NIMBO Supplementary pad for bouldering	PETZL	K03AO	75 x 50 x 3 cm	-	700 g	CN	4	3342540099739







































Climbing Packs



SPI IT

Rope bag

Transport your rope with care! With a 25-liter capacity, the SPLIT rope bag can carry up to 120 m of rope. The removable tarp allows you to designate a space for your rope. The roll-top closure system makes it more compact and easier to carry. With adjustable shoulder straps, it can be carried on your back, hanging by your waist, or over another pack. The SPLIT bag provides effective protection against dust and abrasion.





Bag and protective rope tarp can be separated for easier rope management.



Two possible closure methods: on top or on the front face to create an extra handle.



Adjustable shoulder straps give you multiple carrying options: on the back, in front, or over another pack.

- Rope bag that can easily carry up to 120 m of rope:
- Bag and TARP protective rope tarp can be separated to make rope management easier
- Volume of 25 liters, carrying up to 120 m of rope Easy to pack without needing to coil the rope
- Easy and functional:
- Adjustable shoulder straps give you multiple carrying options: on the back, in front, or over another pack
- Compact shape doesn't get in the way when moving and allows you to see your feet when carrying it in front
- Four color-coded handles at the corners of the tarp to tie rope ends

- Roll-top closure makes it more compact
- Two possible closure methods: on top or on the front face, to create an extra handle
- Two color-coded handles to easily move the bag from the base of one route to another
- Effectively protects the rope from dust and dirt:

 Detterm of the bag is reinfered and shoulder.
- Bottom of the bag is reinforced and shoulder straps are easy to clean off
- Protective tarp provides a 140 x 140 cm clean area for ropes

for improved abrasion resistance

- Orange borders allow you to quickly see the tarp - Durable exterior fabric and coated canvas tarp

Product Specifications

- Volume: 25 liters
- Weight: 600 g
- Material(s): Polyester, nylon

Accessory(ies)

TARP S012AA00

Specifications by Reference

See page 30



		Reference	Color	Weight	Made in	Case Quantity	EAN Code
Chalk Bags							
BANDI		S038BA00	Gray	75 g	VN	30	3342540835498
Chalk bag with round shape		S038BA01	Turquoise				3342540835504
SAKA	<u> </u>	S039BA00	Blue	80 g	VN	30	3342540835511
Chalk bag with ergonomic shape		S039BA01	Violet				3342540835030
SAKAPOCHE	44	S040AA00	Gray	85 g	CN	30	3342540819986
Ergonomically shaped chalk bag with pocket		S040AA01	Red				3342540819993
SAKAB Freestanding chalk bucket for bouldering	***************************************	S037AA00	Gray	205 g	VN	50	3342540832824
SAKOVER Ultra-lightweight sealed bag for storage and transport of chalk bags		S036AA00	Gray	40 g	VN	300	3342540832831
Chalk							
POWER CRUNCH	15	P22AS 100	-	100 g	CZ	80	3342540097292
Chunky chalk		P22AS 200		200 g		40	3342540097285
POWER CRUNCH BOX Chunky chalk in a container	PAGE AND ADDRESS OF THE PAGE A	P22AX 100	-	100 g	CZ	60	3342540097278
POWER BALL Chalk ball		P22AB 040	-	40 g	CZ	250	3342540097261
POWER LIQUID Liquid chalk in a tube	PRE-	P22AL 200	-	200 ml	CZ	25	3342540097254

		Reference	Color	Weight	Volume	Made in	Case Quantity	EAN Code
Climbing Packs								
BUG	20	S073AA00	Gray	525 g	18 Liters	VN	15	3342540825994
Pack for single-day multi-pitch climbing		S073AA01	Red/Orange					3342540826007
SPLIT NEV		S013AA00	Gray	600 g	8 to 25 liters	VN	8	3342540841185
Rope bag	A STATE OF THE STA	S013AA01	Red/Orange					3342540841192
KAB Rope bag for gym climbing		S011AA00	Gray	880 g	20 to 26 liters	VN	10	3342540825789

	Reference	Color	Weight	Volume	Made in	Case Quantity	EAN Code
KLIFF	S010AA00	Gray	750 g	36 liters	VN	10	3342540825796
Rope bag for rock climbing	S010AA01	Red/Orange					3342540825802
TARP Large rope tarp	S012AA00	Black	280 g	-	VN	32	3342540835150
Canyoning Packs							
ALCANADRE CLUB 30 Easy-to-use canyoning pack	S064AA00	Green/Black	885 g	30 liters	KH	16	3342540834873
ALCANADRE GUIDE 45 Ergonomic and comfortable canyoning pack	\$064BA00	Orange/Black	1745 g	45 liters	KH	8	3342540834880
YARA CLUB 15 Small-capacity rope bag for canyoning	\$065AB00	Green/Black	420 g	15 liters	KH	22	3342540840447
YARA GUIDE 25 Medium-capacity rope bag for canyoning	\$065BB00	Orange/Black	610 g	25 liters	KH	16	3342540840454
Caving Packs							
TRANSPORT 45L Durable and comfortable large-capacity pack for caving	S42Y 045	Yellow/Gray/Black	1300 g	45 liters	CN	5	334254009038
PORTAGE 30L Durable medium-capacity pack for caving	S43Y 030	Yellow/Black	800 g	30 liters	CN	10	3342540090354
CLASSIQUE 22L Durable medium-capacity pack for caving	C03 2	Yellow/Black	550 g	22 liters	CN	10	3342540087101
PERSONNEL 15L Durable small-capacity pack for caving	S44Y 015	Yellow/Black	450 g	15 liters	CN	15	3342540090378
Transport Bags							
DUFFEL 65 Medium-capacity transport bag	S045AA02	Black	1350 g	65 liters	KH	6	3342540839342
DUFFEL 85 Large-capacity transport bag	S045AA03	Black	1550 g	85 liters	KH	5	3342540839359







































	Reference	Weight	Working Load Limit	Made in	Case Quantity	EAN Code
Rescue Litters						•
NEST Litter for confined spaces	S061AA00	13100 g	150 kg	FR	1	3342540829558
STEF Tilting device for NEST litter	S059AA00	640 g	140 kg	FR	5	3342540829749
STEF for NEST Litter (before : Tilting device for NEST litter before 2020	2020) S059BA00	620 g	140 kg	FR	5	3342540832244
Bag for NEST Litter	\$062AA00	1860 g	-	RO	2	3342540831568

	Refe	erence	Size	Color	Weight	Made in	Case Quantity	EAN Code
Gloves		·			,			
CORDEX	K5:	2 SN	S	Black	105 g	VN	30	3342540080461
Lightweight belay/rappel gloves	K52	2 MN	Μ		115 g			3342540080478
	K5	2 LN	L.		118 g			3342540080485
	K52	2 XLN	XL		120 g			3342540080492
	K52	2 XST	XS	Tan	100 g			3342540076020
	K5	2 ST	S		105 g			3342540072688
	K5:	2 MT	М		115 g		30	3342540072695
	K5	52 LT	L		118 g			3342540072701
	K52	2 XLT	XL		120 g			3342540072718
CORDEX PLUS	K5:	3 SN	S	Black	136 g	VN		3342540080508
Belay/rappel gloves	K50	3 MN	М		140 g			3342540080515
	K5	3 LN	L		146 g			3342540080522
	K53	3 XLN	XL		152 g			3342540080539
	K53	3 XST	XS	Tan	132 g			3342540076037
	K5	3 ST	S		136 g			3342540072725
	K5:	3 MT	М		140 g			3342540072732
	K5	53 LT	L		146 g			3342540072749
	K50	3 XLT	XL		152 g			3342540072756

	Reference	Weight	Specifics	Made in	Case Quantity	EAN Code
Aid Climbing Accessories						
EVOLV ADJUST Positioning device with two adjustable arms	L35ARD	220 g	Length: 15 - 150 cm	TW	16	3342540100862



		Reference	Weight	Specifics	Made in	Case Quantity	EAN Code
SHUNT Rappel back-up device		B03B	188 g	Rope compatibility: 10-11 mm single ropes or 8-11 mm half ropes	FR	14	3342540817944
FIFI Suspension hook for aid climbing	2	V12	38 g	-	FR	50	3342540067875
MAILLON RAPIDE N° 5 Quick link for installing a retrieval system on the FIFI hook	0	P49100	-	-	FR	100	334254004408
GOUTTE D'EAU Large radius progression hook	6	P06 2	46 g	-	FR	30	3342540092000
REGLETTE Small radius progression hook	6	P06 1	38 g	-	FR	30	3342540091993
QUICKSTEP Adjustable single-step etrier for aid climbing		C09	142 g	-	FR	15	3342540054592
LOOPING Four-step etrier for aid climbing	4	C25	145 g	Black/Yellow	FR	10	3342540001299
GRADISTEP Lightweight five-step etrier for aided sections on free climbs		C08	146 g	Black/Gray	FR	15	3342540054588
0.1.	- N						
Other Accessories		000	150 -	15 v 10 5 cm /AC f	FD	06	994054000054
CARNET Topographic notebook for caving		S90 S91	150 g 210 g	15 x 10.5 cm (A6 format) 21 x 15 cm (A5 format)	FR	96	3342540030558 3342540030558
SPATHA Knife with carabiner hole	9	S92AY S92AB	43 g	Yellow Blue	FR	20	3342540097384 3342540097377



	Refe	rence	Size	Version	Made in	Case Quantity	EAN Code
Club Line				1			
CEINTURE	C010)AA00	-	Blue	CN	40	3342540822986
Belt with logo and one DOUBLEBACK LIGHT buckle	C010)AA01	-	Violet			334254082299
Petzl Book	Z18	0 FR	-	French Version	FR	13	3342540096431
From the Deep: the Petzl	Z18	0 ES	-	Spanish Version			3342540100299
Adventure, the story of a company and its community. Authors: Sophie Cuenot and Hervé Bodeau Preface by Lynn Hill 272 pages	Z180	01 EN		English Version in Gift Box The book "From the Deep: the Petzl Adventure" is available for download in French and English on the Petzl website.		10	3342540096448
ADAM	T001	AA00	S	Black	TR	50	334254083818
Men's Petzl cotton T-shirt	PETZI TOO1	AA01	М				3342540838192
	T001	AA02	L				3342540838208
	T001	AA03	XL				3342540838314
	T001	AA04	XXL				334254083832
	TOO1	AA05	S	Blue			3342540838338
	T001	AA06	М				3342540838345
	T001	AA07	L				3342540838352
	T001	AA08	XL				3342540838369
	T001	AA09	XXL				3342540838376
EVE	T002	2AA00	XS	Violet	TR	50	3342540838239
Women's Petzl cotton T-shirt	T002	2AA01	S				3342540838246
	T002	2AA02	М				3342540838253
	T002	2AA03	L				3342540838260








































Whether it's for caving, running, skiing, hiking, or everyday activities, Petzl makes headlamps to meet your every need. Introducing our range of headlamps in three different families: PERFORMANCE, ADVANCED, and DISCOVER.

PERFORMANCE Headlamps

• For caving









• For high-commitment endurance sports like trail running, mountaineering, and ski touring



NAO® RL











ADVANCED Headlamps

• For regular use and dynamic activities


















































DISCOVER Headlamps

• For occasional use, or for your first headlamp



















• For emergency situations





Uses for PERFORMANCE, ADVANCED, and DISCOVER Headlamps

















Hunting and Fishing



Caving

Ski Touring

Mountaineering

and Endurance

Hiking

Camping

PERFORMANCE Headlamps

DUO RL		***					
DUO S		***					
DUO Z2		***					
NAO® RL	Page		*	*	***		
SWIFT® RL	PIG. 18		***	***	*	*	

ADVANCED Headlamps

IKO® CORE				***	*	*	
IKO®				***	*	*	
ACTIK® CORE			***	*	***		
ACTIK®	REE.		*	*	***		
ARIA 2	m. 6				*	*	***

DISCOVER Headlamps

ARIA 1	MA TO					*	*	***
TIKKA® CORE	PLTA.				*	***	***	
TIKKA®	RD.				*	***	***	
TIKKINA®	NO.					*	***	
BINDI®					*	*	***	
TIKKID®	PLES.						***	
e+LITE®		+	+	+	+	+	+	+




* Suited for





Headlamps

From the simplest of tasks to the most demanding sports, Petzl headlamps meet your needs and let you choose from a wide range of brightness levels.





Summary

		ANSI/PLATO FL 1 ———											
					3,15								
		STANDARD LIGHTING	CONSTANT LIGHTING	REACTIVE LIGHTING	MAX BRIGHTNESS	MAX DISTANCE	MAX BURN TIME	RESERVE	LARGE	MIXED	FOCUSED		
PERFORMANCE	Headlamps												
DUO RL			•	•	2800 lm	255 m - 771 ft	72 h	•	•	•	•		
DUO S			•		1100 lm	200 m - 656 ft	23 h	•	•	•	•		
DUO Z2			•		430 lm	120 m - 394 ft	15 h 30	•	•	•	•		
NAO® RL		•		•	1500 lm	200 m - 656 ft	80 h	•	•	•			
SWIFT® RL	P175 135	•		•	1100 lm	155 m - 505 ft	100 h	•		•			
ADVANCED Head	llamps												
IKO® CORE		•			500 lm	100 m - 328 ft	100 h	•	•	•			
IKO®		•			350 lm	80 m - 262 ft	100 h	•	•	•			
ACTIK® CORE	Ros S	•			600 lm	115 m - 377 ft	100 h	•	•	•			
ACTIK®	HZ.	•			450 lm	100 m - 328 ft	100 h	•	•	•			
ARIA 2	ma.	•			450 lm	100 m - 328 ft	100 h	•	•	•			
DISCOVER Head	lamps												
ARIA 1	pa . So	•			350 lm	70 m - 230 ft	110 h	•	•				
TIKKA® CORE	NT.	•			450 lm	85 m - 279 ft	110 h	•	•				
TIKKA®	RIA	•			350 lm	70 m - 230 ft	110 h	•	•				
TIKKINA®	NTA.	•			300 lm	65 m - 213 ft	100 h	•	•				
BINDI®		•			200 lm	36 m - 118 ft	50 h	•	•				
TIKKID®	Prz. O	•			20 lm	7 m - 23 ft	110 h		•				
e+LITE®		•			40 lm	15 m - 49 ft	9 h 30		•				
































			•		•	• WALL		IP67	390 g - 13, 7 oz
				•	•	• WALL		IP67	370 g - 13,1 oz
				•	•		4 x AA LR06	IP67	360 g - 12,7 oz
	•	•			•	• USB-C		IPX4	145 g - 5 oz
•		•			•	• USB-C		IPX4	100 g - 3,5 oz



red green blue	red green blue		•					3 x AAA LR03	IP67	105 g - 3,7 oz
•	• red	•	•		•	•	e micro USB		IPX4	75 g - 2,6 oz
•	• red		•		•	•		3 x AAA LR03	IPX4	85 g - 3 oz
			•					3 x AAA LR03	IPX4	85 g - 3 oz
•	• red	•			•		e micro USB		IPX4	35 g - 1,2 oz
	• white		•			•		3 x AAA LR03	IPX4	80 g - 2,8 oz
•	white & red				•			2 x lithium CR2032	IPX7	26 g - 1 oz







Lighting performance as defined by the ANSI/PLATO FL 1 protocol

Petzl has chosen to comply with the ANSI (American National Standards Institute) protocol to measure and demonstrate the lighting performance and burn times of our headlamps. This voluntary move allows users to easily compare the lighting performance and burn times of different headlamp models using standardized criteria.

Lighting Performance: How Is It Measured?



• Brightness (lumens)

This measurement is taken between 30 and 120 seconds after the headlamp is turned on. It indicates the maximum light output, when the lamp is first turned on, using new batteries.



• Lighting distance (meters)

This is the maximum distance between the lamp and the location where only 0.25 lux of illumination remains. The measurement is taken when the lamp is turned on, using new batteries. Lighting distance depends directly on brightness, but mainly on the shape of the beam.




• Burn time (hours)

This corresponds to the length of time during which lighting is optimal. It is measured 30 seconds after the lamp is turned on and for as long as the lamp takes to drop to 10 % of maximum light output.



• Reserve lighting (outside scope of ANSI/PLATO FL 1 protocol)

In addition to these measures, Petzl offers reserve lighting. Reserve lighting provides minimum light level for walking. However, the light may not be sufficient for fast-paced activities (such as running, mountain biking, or skiing).



Example of a light output curve for a STANDARD LIGHTING headlamp.

Watertightness: What do the IP ratings on Petzl headlamps mean?

A headlamp's resistance to solids and/or liquids is indicated by its IP rating. This index classifies the level of protection offered by equipment against intrusions by solids (e.g. dust) and liquids (e.g. water, oil).



Rating complies with the majority of headlamp uses, in rain, snow, or humidity. All Petzl headlamps are at least IPX4 rated (weather resistant).



Rating indicates the headlamp is waterproof to in up to 1 meter of fresh water for 30 minutes. The e+LITE headlamp is IPX7 rated.




Rating indicates the headlamp is dustproof and waterproof in up to 1 meter of fresh water for 30 minutes. DUO RL, DUO S, DUO Z2, ARIA 2, and ARIA 1 headlamps are rated IP67.




Optimizing Headlamp Performance With Different Lighting Levels

Petzl headlamps are designed to meet your needs for burn time and/or brightness. The choice is easy with three brightness levels that correspond to the type of activity (except DUO headlamps):

- For a shorter activity requiring brightness, choose the MAX POWER level, which maximizes lumens over the first few hours
- For a longer activity requiring good burn time management, choose the STANDARD level, which offers a lumen/time balance
- For an activity requiring little movement (reading, camping), choose MAX BURN TIME, which optimizes battery life and provides moderate lighting for a longer time



Example of table that provides performance information on headlamp packaging:




































Petzl Technologies, a Step Ahead

Hybrid Headlamps: Choose the Power Source That Meets Your Needs






The HYBRID CONCEPT design allows Petzl's compact headlamps to run on either the CORE rechargeable battery or three AAA/LR03 batteries without an adapter.

- CORE rechargeable battery is an economical solution for frequent and/or intensive use
- AAA/LR03 batteries for occasional use with very long burn time

Available on IKO® CORE, IKO®, ACTIK® CORE, ACTIK, ARIA 2, ARIA 1, TIKKA® CORE, TIKKA®, TIKKINA® and TIKKID® headlamps.

Beyond Power... Intelligence








This exclusive technology developed by Petzl instantly provides the right lighting at the right time, without need for manual operation. Burn time is optimized so you can remain focused on the activity. REACTIVE LIGHTING® technology provides:

- Intelligent lighting
- Hands-free lighting for greater convenience and performance
- Longer burn time

Available on DUO RL, NAO® RL, and SWIFT® RL headlamps.

Face-to-Face Without Blinding







Once activated, the FACE2FACE function triggers a sensor that detects other DUO headlamps within 8 meters and automatically dims the lighting whenever they face each other. The light returns to its original intensity once the other headlamp is no longer in its line of sight.

Available on DUO S and DUO Z2 headlamps.

Ergonomic and Comfortable, With the AIRFIT® Headband





This water-repellent headband resists sweat and rain. The thin headband considerably reduces the area of contact and improves air circulation during dynamic activities.

Available on IKO® CORE and IKO® headlamps.





Brightness is the total quantity of light emitted by a lamp. It is expressed in lumens. The greater the quantity of light, the better you see. The value indicated is that of the most powerful lighting level. BRIGHTNESS



Red and/or white strobe lighting allows you to signal and be more easily located, for example in an emergency.





Lighting distance is linked to brightness and beam shape. It is expressed in meters and indicates the range of usable lighting. The value indicated is the maximum value.



Rear red lighting on the rechargeable battery to signal your presence.





Burn time expresses the length of time a headlamp functions with power sufficient for carrying out an activity. It is expressed in hours. The value indicated is the maximum value.



Reflective components for night visibility.





Reserve lighting provides minimum light level for walking. However, the light may not be sufficient for fast-paced activities (such as running, mountain biking, or skiing).



LOCK function to avoid accidentally turning it on during transit or storage.





Flood beam designed for proximity lighting, to see up close or around the feet. The wide angle provides a very wide and comfortable field of vision.



GEABLE

Petzl headlamps that work with rechargeable batteries.





Mixed beam consists of a flood beam and a focused component, allowing both proximity lighting and longer-range vision for moving around.



Petzl headlamps that work with regular batteries (included).





Narrow beam allows focused lighting on a target in order to see objects or people at a distance.



The IP rating on a headlamp indicates the degree to which it is waterproof and dustproof.



KIT



Red lighting for more comfortable night vision. This lighting allows good vision without blinding the user or members of a group.



The weight indicated is that of the headlamp with its energy source (regular or rechargeable batteries).





LIGHTING

Red, green, and blue lighting allows the user to better see contrasts within the lit object in certain situations (useful when reading a map, hunting, or fishing).



THE DARK

The energy stored by the reflector surrounding an LED is released in the form of a phosphorescent glow. This glow allows a headlamp that is turned off to be found, even in the dark.





PERFORMANCE Headlamps



SWIFT® RI

Compact, ultra-powerful and rechargeable headlamp featuring REACTIVE LIGHTING® technology. 1100 lumens

Casting 1100 lumens at a weight of only 100 g, SWIFT® RL is the must-have headlamp for your outdoor activities. Using REACTIVE LIGHTING® technology, a sensor analyzes the ambient light and automatically adjusts brightness to your needs. The headband is reflective to remain visible at night. Its split construction gives you excellent stability during dynamic and intense activities such as mountaineering, trail running, and skiing. SWIFT® RL is intuitive to use, with a single button that easily controls all functions: ON/OFF, lighting modes, brightness, and locking. If necessary, you can also use the continuous or strobe red lighting. It is rechargeable, with a five-level gauge that allows you to monitor the battery charge level.







Longer burn time, greater visual comfort, and less manual operation with REACTIVE LIGHTING® mode: the light sensor automatically adjusts brightness and beam pattern, optimizing battery life.



Rechargeable via USB-C port.



Continuous or strobe red lighting to preserve night vision and to signal your location, especially in emergency situations.

- Ultra-powerful and intelligent headlamp:
- 1100 lumens allowing you to see up to 155 meters
- Choice of two lighting modes, selected with a long hold: REACTIVE LIGHTING® or STANDARD LIGHTING
- Longer burn time, greater visual comfort and less manual operation with REACTIVE LIGHTING® mode, which allows the light sensor to automatically adjust brightness and beam pattern, optimizing battery usage
- Minimum burn time of 5 hours in REACTIVE LIGHTING® mode (STANDARD level), built to power through long activities
- Mixed beam meets the need for highperformance lighting during outdoor activities: proximity or distance vision
- Continuous red lighting to preserve night vision and increase comfort when reading, without blinding those around you
- Strobe red lighting to be visible and to signal your location, especially in emergency situations
- Reflective headband to remain visible at night
- · Compact and lightweight:
- Only 100 g
- Ergonomic and adjustable headband provides the ideal fit, with split construction (Petzl patent); the headband can also be detached and washed
- Ultra-light storage pouch allows it to be transformed into a lantern
- Simple to use:
- Single button to control of all functions: ON/OFF, lighting modes, brightness, and locking
- LOCK function to avoid accidentally turning on the lamp during transit or storage, or to lock lighting settings during your activity

- Lithium-Ion 2350 mAh battery, rechargeable via USB-C port, with battery charge indicator - Five-level gauge for precise monitoring of the battery charge level
- The lamp can be tilted upward to see ahead when worn around the neck or tilted downward when worn on a helmet.

Product Specifications

- Brightness: 1100 lumens (ANSI FL 1 STANDARD)
- Weight: 100 g
- Technology: REACTIVE LIGHTING® or STANDARD LIGHTING
- Beam pattern: Mixed (flood and focused)
- Power: 2350 mAh Lithium-Ion rechargeable battery (included)
- Charging time: 6 h
- Water resistance: IPX4 (weather-resistant)
- Certification(s): CE

Spare Part(s)

ACCU SWIFT® RL E092DB0 Spare headband for SWIFT® RL E092EB00 SHELL LT E075AA00

Accessory(ies)

CROCHLAMP S E04350 SHELL L E93990 CROCHLAMP L E04405 NOCTILIGHT E093DA00 **UNI ADAPT** E000BA00

Specifications by Reference

ADVANCED Headlamps




ARIA 2

Compact and powerful headlamp, ideal for hunting and fishing. White, red, green, or blue lighting to preserve night vision and provide stealth. 450 lumens

Designed for activities where stealth is key (such as hunting, fishing, and nature watching), the ARIA 2 headlamp provides 450-lumen brightness and a mixed beam for comfortable proximity lighting and movement. Waterproof and easy to use with a single button, it also features red, green, and blue lighting to preserve night vision. ARIA 2 comes with three standard batteries and is also compatible with the CORE rechargeable battery, with its HYBRID CONCEPT design.





Wide, uniform beam so you can comfortably see up-close or at your feet, and mixed beam (flood and focused) providing proximity and distance vision for movement.



Red, green, and blue lighting preserves night vision and provides stealth.



Dustproof and waterproof (in 1 meter of water for 30 minutes).

- Compact headlamp for hunting and fishing:
- Flood and mixed beam (flood and focused) for proximity and distance vision
- Red, green, and blue lighting preserves night vision and provides stealth
- Color lighting is continuous or strobe, according to user needs
- Dustproof and waterproof (in 1 meter of water for 30 minutes)
- Lightweight, compact, and bright: 450 lumens and only 106 $\ensuremath{\text{g}}$
- Easy to use:
- Single button for quick and easy selection of brightness or light color
- Three white lighting levels: MAX BURN TIME, STANDARD (better power/burn time balance), and MAX POWER
- Battery charge indicator shows the battery level each time lamp is turned on or off
- Plate allows you to easily tilt the lamp in desired direction
- Detachable, washable headband
- LOCK function prevents the lamp from turning on during transit or storage
- Versatile:
- HYBRID CONCEPT design: ARIA 2 comes with three AAA/LR03 batteries and is also compatible with the CORE rechargeable battery (not included); it automatically detects the energy source and adjusts lighting performance

- Compatible with the HELMET ADAPT and BIKE ADAPT 2 mounts, so you can mount the lamp on a helmet or a bicycle

Specifications

- Brightness: 450 lumens (ANSI/PLATO FL 1)
- Weight: 106 g
- Beam pattern: Flood or mixed
- Power: Three AAA/LR03 batteries (included) or CORE rechargeable battery (available as accessory)
- Battery compatibility: Alkaline, lithium, or rechargeable Ni-MH
- Certification(s): CE, UKCA
- Water resistance: IP67

Spare Part(s)

Spare Headband for ARIA E068AA01/02

Accessory(ies)

 CORE
 E99ACA
 CROCHLAMP S E04350

 SHELL
 L E93990
 CROCHLAMP L E04405

 HELMET
 ADAPT
 BIKE
 ADAPT 2 E074A400

 E073A400
 NOCTILIGHT
 E093DA00

Specifications by Reference



DISCOVER Headlamps



ARIA 1

Compact headlamp ideal for hunting and fishing. White, red, green, or blue lighting to preserve night vision and provide stealth. 350 lumens

Designed for activities where stealth is key (such as hunting, fishing, and nature watching), the ARIA 1 headlamp provides 350-lumen brightness and a flood beam for comfortable proximity lighting. Waterproof and easy to use with a single button, it also features red, green, and blue lighting to preserve night vision. ARIA 1 comes with three standard batteries and is also compatible with the CORE rechargeable battery, with its HYBRID CONCEPT design.





Wide, uniform beam so you can comfortably see up-close or at your feet.



Red, green, and blue lighting preserves night vision and provides stealth.



Dustproof and waterproof (in 1 meter of water for 30 minutes).

- Compact headlamp for hunting and fishing:
- Wide, uniform beam so you can comfortably see up-close or at your feet
- Red, green, and blue lighting preserves night vision and provides stealth
- Color lighting is continuous or strobe, according to user needs
- Dustproof and waterproof (in 1 meter of water for 30 minutes)
- Compact and lightweight: only 105 g
- Easy to use:
- Single button for quick and easy selection of brightness or light color
- Three white lighting levels: MAX BURN TIME, STANDARD (better power/burn time balance), and MAX POWER
- Battery charge indicator shows the battery level each time lamp is turned on or off
- Plate allows you to easily tilt the lamp in desired direction
- Detachable, washable headband
- LOCK function prevents the lamp from turning on during transit or storage
- Versatile:
- HYBRID CONCEPT design: ARIA 1 comes with three AAA/LR03 batteries and is also compatible with the CORE rechargeable battery (not included); it automatically detects the energy source and adjusts lighting performance

- Compatible with the HELMET ADAPT and BIKE ADAPT 2 mounts, so you can mount the lamp on a helmet or a bicycle

Specifications

- Brightness: 350 lumens (ANSI/PLATO FL 1)
- Weight: 105 g
- Beam pattern: Flood
- Power: Three AAA/LR03 batteries (included) or CORE rechargeable battery (available as accessory)
- Battery compatibility: Alkaline, lithium, or rechargeable Ni-MH
- Certification(s): CE, UKCA
- Water resistance: IP67

Spare Part(s)

Spare Headband for ARIA E068AA01/02

Accessory(ies)

CORE E99ACA CROCHLAMP S E04350
SHELL L E93990 CROCHLAMP L E04405
HELMET ADAPT BIKE ADAPT 2 E074AA00
E073AA00 NOCTILIGHT E093DA00

Specifications by Reference







ACCU SWIFT® RL

Rechargeable battery for SWIFT® RL headlamp

The rechargeable battery for the SWIFT® RL headlamp can be recharged via USB-C port and has a battery charge indicator.

- Lithium-Ion 2350 mAh rechargeable battery for SWIFT® RL headlamp
- Easy to charge via USB-C port (charging cable not included)
- Battery charge indicator light

Product Specifications

- Weight: 50 g
- Technology: Lithium-Ion
- Capacity: 2350 mAh
- Number of charging cycles: 300
- Charging time: 6 h
- Certification(s): CE

Specifications by Reference

See page 112





Spare headband for SWIFT® RL

Specifications by Reference

See page 123





Spare Headband for ARIA

Specifications by Reference

See page 123





R1 Extension Cord

Extension cord for NAO® RL headlamp

The R1 extension cord makes it possible to remove the NAO® RL battery from the headband. This allows you to keep it in a warm place, protecting the battery and preserving burn time. It's ideal for cold weather or to reduce the weight carried on your head!

- Allows you to carry the rechargeable battery pack for the NAO® RL separately, reducing weight on the head
- Increases battery life by allowing you to keep the rechargeable battery in a pocket, protected from cold
- Ideal for trail running, cross-country skiing, and mountaineering

Product Specifications

- Length: 110 cm
- Weight: 50 g

Specifications by Reference

	Reference	Version	Weight	MAX BRIGHTNESS	MAX DISTANCE	MAX BURN TIME	Made in	Case Quantity	EAN Code
PERFORMANCE Headlamps				BAIGHTINESS	DISTANCE	BORN TIME			
DUO RL Ultra-powerful, waterproof, and rechargeable headlamp featuring REACTIVE LIGHTING® technology. 2800 lumens	E103AA00	Black/ Yellow	390 g	2800 lm	255 m	72 h	FR	10	3342540828926
DUO S	E80CHR	-	370 g	1100 lm	200 m	23 h	MY	6	3342540105843
ultra-powerful, waterproof and rechargeable headlamp, featuring Petzl's FACE2FACE anti-glare function. 1100 lumens	E80CHR UK	UK							3342540820814
DUO Z2 Powerful, waterproof, and durable headlamp, featuring FACE2FACE anti-glare function. 430 lumens	Е80АНВ	Black/ Yellow	360 g	430 lm	120 m	15.5 h	MY	6	3342540105829
NEW	A042SA02	S/M	335 g	-	_	_	_	_	3342540841307
BOREO® CAVING Caving helmet with mounting plates for DUO headlamp	A042SA03	M/L	355 g						3342540841314
NAO® RL Ergonomic, ultra-powerful, and rechargeable headlamp featuring REACTIVE LIGHTING® technology. 1500 lumens	E105AA00	-	145 g	1500 lm	200 m	80 h	HU	22	3342540838218
SWIFT® RL	E095BB00	Black	100 g	1100 lm	155 m	100 h	-	-	3342540840966
Compact, ultra-powerful	E095BB01	Orange							334254084097
and rechargeable headlamp featuring REACTIVE LIGHTING® technology. 1100 lumens	E095BB02	White							334254084098
ADVANCED Headlamps									
IKO® CORE Lightweight, ergonomic rechargeable headlamp with AIRFIT headband. 500 lumens	E104BA00	-	79 g	500 lm	100 m	100 h	HU	20	3342540828704
IKO® Lightweight, ergonomic headlamp with AIRFIT headband. 350 lumens	E104AA00	Black	90 g	350 lm	80 m	100 h	HU	20	3342540828674
ACTIK® CORE	E065AA00	Gray	88 g	600 lm	115 m	100 h	FR	64	3342540838703
	E065AA01	Blue							334254083881
Powerful, rechargeable, and easy-to-use headlamp with red lighting. 600 lumens	E065AA02 E065AA03	Green Red							3342540838820 334254083893
ACTIK®	E063AA00	Gray	98 g	450 lm	100 m	100 h	FR	64	334254083867
Powerful, easy-to-use headlamp	E063AA01	Blue							334254083868
ACTIK® Powerful, easy-to-use headlamp with red lighting. 450 lumens	E063AA02 E063AA03	Green Red	_						334254083869



	Reference	Version	Weight	MAX BRIGHTNESS	MAX DISTANCE	MAX BURN TIME	Made in	Case Quantity	EAN Code
	E070BA00	Black	106 g	450 lm	100 m	100 h	-	57	3342540840195
	E070BA01	Camo							3342540840058
						,			
	E069BA00	Black	105 g	350 lm	70 m	110 h	-	57	3342540840164
	E069BA01	Camo							3342540840171
	E067AA00	Gray	84 g	450 lm	75 m	110 h	MY	64	3342540839144
	E067AA01	Blue							3342540839151
NEL	E067AA02	Green							3342540839168
The second	E067AA03	Yellow	-						tuantity EAN Code 57 3342540840198 3342540840058 3342540840164 3342540840171 3342540839144 3342540839151 3342540839178 64 3342540839113 3342540839120 3342540839120 3342540839068 3342540839078 3342540839076 3342540839090 3342540839090 3342540819801 3342540819801 3342540819808 3342540819808 3342540819808 3342540819808 3342540819808 3342540819808 3342540819808 3342540819808 3342540819808 3342540819808 3342540819808 3342540819808 3342540819808
No.									
	E061AA00	Gray	94 g	350 lm	70 m	110 h	MY	64	3342540839106
	E061AA01	Blue							3342540839113
NTIL 1	E061AA02	Green	-						3342540839120
HEL TES	E061AA03	Yellow	-						3342540839137
RES.									
	E060AA00	Gray	92 g	300 lm	65 m	100 h MY 64 3342 3342	3342540839069		
	E060AA01	Blue	-						3342540839076
	E060AA02	Green	-						3342540839083
Nn.	E060AA03	Red	-						3342540839090
HZ.									
2	E102AA00	Black	35 g	200 lm	36 m	50 h	HU	3342540	3342540819801
E070BA00 Black E070BA01 Camo E060BA01 E060BA01		3342540819818							
100	E102AA02	Emerald							3342540819825
To the second									
Ma. O	E091BA00	Blue	80 g	20 lm	7 m	110 h	MY	50	3342540819771
Na. Oli	E091BA01	Pink							3342540819788
MCT 62	E091CA00	-	1900 g	20 lm	7 m	110 h	MY	1	3342540819795
-/-									
RT. PETL									
	E02 P4		26 g	40 lm	15 m	9.5 h	MY	60	3342540815643
		Black							
		E070BA01 E069BA00 E069BA01 E067AA00 E067AA01 E067AA02 E067AA03 E061AA01 E061AA02 E061AA03 E060AA01 E060AA01 E060AA01 E060AA01 E060AA02 E060AA02 E060AA03 E102AA00 E102AA00 E102AA00 E102BA01 E102AA00 E102BA01 E102AA00	E069BA00 Black E069BA01 Camo E067AA00 Gray E067AA01 Blue E067AA02 Green E067AA03 Yellow E061AA01 Blue E061AA01 Blue E061AA02 Green E061AA02 Green E061AA03 Gray E061AA03 Fed E060AA01 Blue E060AA01 Blue E060AA01 Blue E060AA02 Green E060AA02 Green E060AA02 Green E060AA03 Red E102AA00 Black E102AA01 Orange E102AA01 Drange E102AA01 Pink E091BA01 Pink E091BA01 Pink	E070BA00 Black E070BA01 Camo E069BA00 Black E069BA01 Camo E069BA01 Camo E067AA00 Gray 84 g E067AA01 Blue E067AA02 Green E061AA01 Blue E061AA01 Blue E061AA02 Green E061AA02 Green E060AA02 Emerald E102AA01 Orange E102AA01 Pink E091BA01 Pink E091BA00 Blue 80 g E091BA01 Pink	E069BA00 Black E069BA01 Camo E069BA01 Camo E069BA01 Camo E069BA01 Camo E069BA01 Camo E067AA01 Blue E067AA02 Green E061AA03 Yellow E061AA03 Yellow E061AA03 Gray Blue E061AA03 Green E061AA03 Fellow E060A00 Gray E060A00 Gray E060A001 Blue E060A002 Green E060A002 Green E060A002 Green E060A002 Green E060A003 Red E102AA00 Black E102AA00 Black E102AA01 Orange E102AA02 Emerald E091BA01 Pink E091BA01 Pink E091BA01 Pink E091CA00 - 1900 g 20 Im	E070BA00 Black E069BA00 Black E069BA01 Camo E089BA00 Gray E067AA00 Gray E067AA02 Green E061AA02 Green E061AA03 Yellow E060AA01 Blue E066AA01 Blue E066AA02 Green E060AA01 Blue E066AA02 Green E060AA02 Green E060AA01 Blue E060AA02 Green E060AA02 Green E060AA01 Blue E060AA01 Blue E060AA01 Blue E060AA01 Blue E060AA01 Flow Flow Flow Flow Flow Flow Flow Flow	E070BA00 Black E070BA01 Camo E069BA00 Black E069BA01 Camo E067AA00 Gray E067AA00 Gray E067AA01 Blue E067AA01 Blue E061AA02 Green E061AA02 Green E061AA03 Yellow E061AA01 Blue E061AA03 Fed E061AA03 Fed E102AA01 Blue E061AA03 Fed E102AA01 Fed	E070BA00 Black 106 g 450 lm 100 m 100 h -	E070BA00



Compatibility of Headlamp Accessories

		NOCTILIGHT	SHELLS	SHELL	SHELLT	CORE	C Ann	ACCU SWIFT® RL	Peter R2	HELMET ADAPT	Mount for Caving Helmet	
PERFORMANCE	Headlamps									,		
DUO RL									•*		•	
DUO S									•*		•	
DUO Z2											•	
NAO® RL							•*			•		
SWIFT® RL	(P)	•		•	•*			•*				
ADVANCED Head	dlamps											•
IKO® CORE		•		•	•*	•*				•		
IKO®		•		•	•*	•				•		
ACTIK® CORE	REQ.				•*	•*						
ACTIK®	HZZ,				•*	•						
ARIA 2	m. 6	•		•	•	•				•		
DISCOVER Head	llamps											
ARIA 1	PRE TO	•		•	•	•				•		
TIKKA® CORE	REAL PROPERTY.	•		•	•*	•*				•		
TIKKA®	NO.	•		•	•*	•				•		
TIKKINA®	FEIZL	•		•	•	•				•		
BINDI®			•		•							
TIKKID®	PATEL O 1	•		•	•	•						
e+LITE®												

^{*} Accessory included with headlamp

	SIROCCO ADAPT	PRO ADAPT	CROCHLAMP S	CROCHLAMP L	UNI ADAPT	BIKE ADAPT 2	BIKE ADAPT	Mount for Cycling Helmet	Mount for Bicycle Handlebars	Quick Charger	DUO Extension Cord	R1 Extension Cord
	W.		3333	11118	****	6			\$ m			19
·												
	•	•	•	•	•			•	•	•	•	
	•	•	•	•	•			•	•	•	•	
	•	•	•	•	•				•			
			•	•	•							•
			•	•	•							
			•	•	•	•						
			•	•	•	•						
				•	•							
			•	•	•	•						
			•	•	•	•						
			•	•	•	•						
			•	•	•	•						
			•	•	•	•						
			•	•	•		•					
			•	•	•							
			•	•	•							

	Reference	Weight	Specifics	Made in	Case Quantity	EAN Code
Headlamp Accessories						
NOCTILIGHT Protective carrying case for Petzl's compact headlamps that diffuses light into lantern mode	E093DA00	85 g	-	CN	72	3342540817586
SHELL LT Headlamp storage and transport pouch	E075AA00	5 g	-	CN	64	334254083896
SHELL S Pouch for BINDI® headlamp	E94990	31 g	-	CN	60	334254008163
SHELL L Pouch for compact headlamps	E93990	41 g	-	CN	60	3342540081628
CORE Rechargeable battery compatible with Petzl headlamps featuring the HYBRID CONCEPT design	E99ACA	23 g	Micro USB	CN	14	334254081561
CRAVATE 6 CORE Hanger with six CORE rechargeable outleries, compatible with Petzl headlamps featuring the HYBRID CONCEPT design	E099BA00	487 g	-	CN	20	334254082001
R1 Rechargeable battery for NAO® RL headlamp	E037AA00	80 g	USB-C	CN	76	334254083822
ACCU SWIFT® RL Rechargeable battery for SWIFT® RL headlamp	E092DB00	50 g	USB-C	-	-	334254084100
R2 Rechargeable battery for DUO RL and DUO S headlamps	E103CA00	168 g	-	CN	30	334254063956
HELMET ADAPT Adhesive helmet mounting olate for Petzl headlamps	E073AA00	22 g	-	MY	105	334254083894
Mount for Caving Helmet Front and back plates for mounting DUO headlamps on caving helmets	E55940	40 g	-	FR	12	3342540089441



	Reference	Weight	Specifics	Made in	Case Quantity	EAN Code
SIROCCO ADAPT Accessory for mounting a DUO headlamp on a SIROCCO helmet	E103BA00	35 g	-	CN	32	3342540820715
PRO ADAPT Adhesive accessory for mounting a DUO headlamp on a variety of different helmet types	E80004	48 g	-	MY	48	3342540105881
CROCHLAMP S Headlamp clips for thin- edged helmets (pack of 4)	J J J J J J J J J J	-	-	FR	100	3342540002616
CROCHLAMP L Headlamp clips for thick- edged helmets (pack of 4)	E04405	-	-	FR	40	3342540026599
UNI ADAPT Adhesive clip for mounting a Petzl headlamp on a variety of helmet types (pack of 4)	EOOOBAOC) 10 g	-	MY	60	3342540828421
BIKE ADAPT 2 Plate for mounting a Petzl headlamp on bicycle handlebars or seat post	E074AA00	43 g	- Diameter: 22 to 30 mm - Compatible with the ARIA 1, TIKKA CORE, TIKKA, TIKKINA headlamps	MY	60	3342540838956
BIKE ADAPT Plate for mounting a Petzl headlamp on bicycle handlebars or seat post	E000AA00	40 g	- Diameter: 22 to 30 mm - Compatible with the BINDI headlamp	MY	60	3342540828438
Mount for Cycling Helmet Plates for mounting a DUO RL or DUO S headlamp on cycling and mountain biking helmets with thick or thin edges	E55920	-	- On ventilated helmet: 30 g - On helmet with thin edge: 40 g	CN	56	3342540089464
Mount for Bicycle Handlebars Plates for mounting DUO headlamps on bicycle handlebars	E55930	175 g	-	CN	32	3342540089457
	E55800	145 g	_	CN	36	3342540076259
Quick Charger Quick wall charger for R2 rechargeable battery	E55800 Uł					3342540825758
Extension Cord for Headlamp Extension cord for DUO RL and DUO S headlamps	E55950	75 g	-	CN	20	3342540076310
R1 Extension Cord Extension cord for NAO® RL headlamp	E105BA00	50 g	- Length: 1.1 m - USB-C	-	-	3342540841376

	Reference	Weight	Specifics	Made in	Case Quantity	EAN Code
Countertop or Wall Display for Headlamps Adaptable countertop display stand on pegboard or slatwall for displaying up to 24 headlamps	Z002AB01	10 kg	- Product Dimensions: 350 x 660 x 255 mm - Package Dimensions: 360 x 260 x 670 mm	FR	1	3342540832206
Floor Display for Sport Headlamps Floor stand for displaying up to seven headlamp models and up to 88 units	Z002AC01	38 kg	- Product Dimensions: 410 x 490 x 1975 mm - Package Dimensions: 1120 x 550 x 420 mm	FR	1	3342540832367
Rotating Floor Display for Sport Headlamps Rotating floor stand for displaying up to seven headlamp models, holds up to 172 units	Z002AE01	54 kg	- Product Dimensions: 610 x 610 x 2006 mm - Package Dimensions: 1160 x 620 x 620 mm	FR	1	3342540832473



DESCENDERS



Upper bobbin for SIMPLE EAN: 3342540001817



D09100

Lower bobbin + handle for STOP EAN: 3342540001923



D09150

Upper bobbin for STOP EAN: 3342540001930





69108

3 bolts for QUARK EAN: 3342540050006



U21700

GRIPTAPE grip tape EAN: 3342540070523



U19 GR2 GRIPREST QUARK EAN: 3342540089082



U19 TRI

TRIGREST QUARK EAN: 3342540089075

MISCELLANEOUS

FR0083 Steel DELTA n° 5 quick link EAN: 3342540004290



M090AA00

STRING, quickdraw sling protector that also maintains the orientation of carabiners in FINESSE slings EAN: 3342540825987

CRAMPONS



LEVERLOCK, FLEXLOCK strap kit EAN: 3342540060685



T23900

ANTISNOW for M10 EAN: 3342540060784



T05960

ANTISNOW for VASAK and SARKEN EAN: 3342540071995



T23800

2 blades for M10 EAN: 3342540060760

ANCHORS



P08100 8 mm \emptyset threaded tip + pin for TAMPONNOIR EAN: 3342540008557



P36GA 10

Steel bolt for 10 mm hanger EAN: 3342540104228



P36GA 12

Steel bolt for 12 mm hanger EAN: 3342540104259



P36GS 10

Stainless steel bolt for 10 mm hanger EAN: 3342540104211





Stainless steel bolt for 12 mm hanger EAN: 3342540104242

HEADLAMPS



E092EB00

Spare headband for SWIFT® RL EAN: 3342540828537



E072AA00

Spare headband for TIKKINA®, TIKKA®, and ACTIK® (standard) EAN: 3342540838970



E072BA00

Spare headband for TIKKINA®, TIKKA®, and ACTIK® (reflective) EAN: 3342540838987



E068AA01

Spare Headband for ARIA (black) EAN: 3342540840652



E068AA02

Spare Headband for ARIA (camo) EAN: 3342540840669



E97001

Spare headband for TIKKA® + and TIKKA® XP EAN: 3342540102576



E51999

Spare headband for DUO EAN: 3342540076457



F04999

Elastic headband for universal and specialized headlamps EAN: 3342540034419

MADE IN

BD: Bangladesh

BG: Bulgaria

CN: China

CZ: Czech Republic

DE: Germany

FR: France

GB: Great Britain

HU: Hungary

IT: Italy

LK: Sri Lanka

MY: Malaysia

RO: Romania TW: Taiwan

VN: Vietnam

Product	Reference	Page	Product	Reference	Page_	Product	Reference	Page
	005 (1) (0)			1/0.14.0				
8003	C05 1N/2N	23	CIRRO	K01AO	89	E		
2 reversible	T00050		CLASSIQUE 22L	C03 2	93		F00 B4	
linking bars L	T20850	68	CLUB 10 mm	R39AO 040/060/070		e+LITE®	E02 P4	116
Λ				R39AW 040	46	ELASTIC STRAP	U001CA00	67
Α			CLUB 200 10 mm	R39AO 200		Equipment holder fo		
ACCU SWIFT® RL	E092DB00 1	15, 120		R39AW 200	46		C086GA00	24
ACTIK®	E063AA00/1/2/3		COEUR BOLT HCR	P36BH 12	83	ERGONOMIC	U022AA00	67
		116	COEUR BOLT			EVE	T002AA00/1/2/3	97
ACTIK® CORE	E065AA00/1/2/3	116	STAINLESS	P36BS 10/12	83	EVOLV ADJUST	L35ARD	94
ADAM	T001AA00/1/2/3/4	07	COEUR BOLT			EXPLO	C027AA00	24
15.1111	T001AA05/6/7/8/9	97	STEEL	P36BA 10/12	83	EXPRESS	C040CA00/1/2	52, 57
ADJAMA	C022BA00/1/2/3	22	COEUR HCR	P36AH 12	83	Extension cord		
ALCANADRE CLUB			COEUR PULSE	P37S 12	84	for headlamp	E55950	121
	S064AA00	93	COEUR			- Troudianip	200000	
ALCANADRE GUIDI			STAINLESS	P36AS 10/12	83	F		
	S064BA00	93	COEUR STEEL	P36AA 10/12	83			
ALTITUDE®	C019BA00/1/2	20, 22	COLLINOX	G100AA00	84	FAKIR pouch	V01	68
ALTO	K02AO	89		ANYON CLUB harnes		FIFI	V12	96
Am'D	M34A SL/BL/RL	55	Connoct toann for Gr	C086FA00	24	FIL	T03A FIL	67
AMPOULE			CONGA® 8.0 mm	R42AB 020/030	47	FIL FLEX	T03A FF	67
BAT'INOX	G103AA00	84	CONGA 6.0 IIIIII		79	FIL SMALL	U001FA00	67
AMPOULE						FIL TELEMARK	T03600	67
COLLINOX	G101AA00	84	CONTACT® 9.8 mm			FINESSE	C042AA00/1	57
ANGE FINESSE	M057AA00/1 M05		OONITA 07000000	R33AD 060/070/080	45			
	M057CA00	56	CONTACT®WALL	R33AC 030	4.5	FLEX	T03A BS	68
ANGE L	M59 B/G	56	9.8 mm	R33AD 040	45	Floor display for spo		100
ANGE S	M57 O/G	56	CORAX	1004 00510101	00	headlamps	Z002AC01	122
ANNEAU	C40A 60/80/120/		C051AA00/1, C051B		23	FLY	C002BA00/1/2	19, 22
		100 07	CORD-TEC pouch	U003BA00	68	FIXE	P05SO	75
Anodized, fixed brak		20	CORD-TEC			FOOTAPE	C47A	73
bar for RACK	D11300	38	replacement cord	T01A COR	68	FOOTCORD	C48A	73
ANTISNOW	T03A AS T05A AS		Cords	R044AA00 R045AA	00	FREELOCK	U81000	62
ANTISNOW DART	U001DA00	68		R046AA00 R047AA	00 45	FREINO	M42	55
ANTISNOW			CORE	E99ACA	120	FREINO Z	M042AA00	37
LEOPARD	T01A AS	68	CORDEX	K52 SN/MN/LN/XLN		TTILINO Z	1010-12/1/100	
ANTISNOW LYNX®	T24960	68		XST/ST/MT/LT/XLT	94	G		
AQUILA	C037BA00/1/2/3	22	CORDEX PLUS	K53 SN/MN/LN/XLN		G		
ARIA 1	E069BA00/1	114, 117	00.122,11.200	XST/ST/MT/LT/XLT	94	GEMINI	P66A	75
ARIA 2	E070BA00/1	113, 117	COUDEE	G105AA00	84	GLACIER	U01B 060/068/07	75 61
ARIAL® 9.5 mm	R34AC 060/070/0			lisplay for headlamps		GLACIER LITERIDE		61
	R34AD 060/070/08		Countertop or wair c	Z002AB01	122	GO 8 mm	P015AA00/1	86
ASCENSION	B17ALA B17ARA	73	CRAVATE 6 CORE	E099BA00	120	GOUTTE D'EAU	P06 2	96
ATTACHE	M38A SL	55	CROCHLAMP L	E04405	121	GRADISTEP	C08	
AVEN	C013AA00/1	24						96
			CROCHLAMP S	E04350	121	GRIGRI®	D014BA00/1/2	37
AXESS	C041BA00/1/2	54, 57	CROLL® L	B016AA00	73	GRIGRI® +	D13A G/AG/VI	37
В			CROLL® S	B16BAA	73	GRIPREST		
D			Cutaway sling for CA	ANYON CLUB harnes		ERGONOMIC	U022CA00	62
Bag for NEST litter	S062AA00	94		C086DA00	24	GRIPREST NOMIC	U021DA00	62
BACK FLEX	T03A BFL	67	Cutaway sling for CA	ANYON GUIDE harne		GULLY	U014AA00 U014E	3A00 61
BACK LEVER	U001BA00	67		C086EA00	24			
BANDI	S038BA00/1	92	Б			Н		
BARRETTE	T03A BA	68	D			LIELMET ADADT	E070 A A O O	400
			D-LYNX	T25	66	HELMET ADAPT	E073AA00	120
BASIC	B18BAA	73	DART	U001AA00		HIRUNDOS	C036BA00/1/2/3, C036CA00/1/2/3	
BAT'INOX	G102AA00	84		UUU IAAUU	66	LILIIT		
BIKE ADAPT	E000AA00	121	DART crampon	U001EA00	67	HUIT	D02	37
BIKE ADAPT 2	E074AA00	121	front sections		67	HUIT ANTIBRULURI	= DU1	37
BINDI®	E102AA00/1/2	116	DELTA	P11	86			
BODY	C018BA00	23	DEMI ROND	P18	86			
BOLTBAG	C11 A	86	DISPLAY 12 TIKKID		116	ICE	U19 ICE	62
BONGO	P27	86	DJINN	M060LA00, M060LI		IKO®	E104AA00	
BOREA®	A048AA00, A048				3, 56			116
- ** *	A048CA00	32	DJINN AXESS		4, 57	IKO® CORE	E104BA00	116
BOREO®	A042VA00/1/2/3/4		DRY	U19 DRY	64	IRVIS®	T03A LLU/FL	66
	A042VA07/8/9	30, 32	DUAL CANYON			IRVIS® crampon	T004 41/	
BOREO® CAVING	A042SA02/3 30,		CLUB	L086AB00	79	front sections	T03A AV	67
Brake bar w/o hook		,	DUAL CANYON		_	IRVIS® HYBRID	T02A LLU	66
for RACK	D11200	38	GUIDE	L086BB00	79			
BUG	S073AA00/1	92	DUAL CONNECT			K		
	30.0.00/1		ADJUST	L035BA00	79	KAB	S011AA00	47, 92
С			DUAL CONNECT					
			VARIO	L087AA00	79	KIT CORAX GRIGRI		
CANYON CLUB	C086AA00	24	DUFFEL 65	S045AA02	93	KIT CORD-TEC	U001GA00	67
CANYON GUIDE	C086BA00/1	24	DUFFEL 85	S045AA03	93	KIT SECOURS	1/005 4 4 0 0	75 - :
CARITOOL	P42	24	DUO RL	E103AA00	116	CREVASSE	K025AA00	75, 81
CARITOOL EVO	P043AA00	24	DUO S	E80CHR	110	KIT VIA FERRATA	K029DB00,	
CARNET	S90 - S91		D00 0	E80CHR UK	116	EASHOOK	K029DB01	79, 81
CEINTURE	C010AA00/1	96 97	DUO Z2	E80AHB	116	KIT VIA FERRATA	1/00000===	
OLINTONE	OUTUAAUU/ I	91	DOO 22	LUUMID	110	VERTIGO	K029CB00/1	79, 81
						KLIFF	S010AA00/1	47, 93

Product	Reference	Page	Product	Reference	Page	Product	Reference	Page
1			PORTAGE 30L	S43Y 030	93	SPATHA	S92AY/S92AB	96
_			POWER BALL	P22AB 040	92	SPEEDY	G106AA00	86
LASER	G050AA00/1/2	83	POWER CRUNCH	P22AS 100/200	92	SPELEGYCA	L002AA00	79
LASER SPEED	G051AA00/1/2	83	POWER CRUNCH			SPIRIT	M061AA00	
LASER SPEED			BOX	P22AX 100	92		M061AB00/2/3/4/5/	6 51, 56
LIGHT	G052AA00/1/2	83	POWER LIQUID	P22AL 200	92	SPIRIT EXPRESS	M061AC00/1/2	52, 56
LASER SPEED			PRO ADAPT	E80004	120	SPLIT		91, 92
10 cm	G051AA03	83	PROTEC	R003AA00	86	ST'ANNEAU	C07 24/60/120	87
LEOPARD LLF	T01A LLF	66		HUUSAAUU		STEF	S059AA00	
LEOPARD FL	T01A FL	66	Protective seat for CANYON harnesses	C008C A00/1/0	0.4			94
LINKIN	U82002	63			24	STEF for NEST litter		0.4
	65504 65506	03	Pulley for SIMPLE	D004CA00	38	before 2020	S059BA00	94
LIVANOS		0.4	PULSE	P37S 8	84	STOP	D009AA00	37
LOODING	65508 65510	84	PUR'ANNEAU	G006AA00/1/2	87	STRING	M090BA00	57
LOOPING	C25	96	PUR'DRY	U022BA00	62	SUM'TEC	U015AA00 U015B	A00 61
LUNA	C035BA00/1/2/3	22	PUR'ICE	U021CA00	62	SUMMIT®	U13B 052/059/066	61
LYNX®	T24A LLU	66	PUR LINE 6 mm	R010AA00/1	47	SUMMIT® EVO	U14B 052/059/066	61
LYNX® front point kit	T24850	67	PUSH 9 mm	R40AO 040/060/0		SUPERAVANTI	C012AA00/1	24
·			1 00110111111	R40AW 040	46	SWIFT® RL		12, 116
M			PUSH 200 9 mm	R40AO 200		Swinging brake bar	L030DD00/1/2 1	12, 110
			1 0311200 9 111111	R40AW 200	46		D110E0	00
MACCHU®	C015AA00/1	23		I ITUNIV ZUU	40	with hook for RACK		38
MAILLON RAPIDE	<u> </u>	_	Q			SWIVEL S	P58 S	86
N° 5	P49100	96				т		
MAMBO® 10.1 mm	R32AC 050/060/070		QUARK	U019BA00 U019A	A00 61			
	R32AD 050/060/070	45	Quick charger	E55800/E55800 L		TAM TAM	P16	0.0
MARTEAU	U19 MAR	62	QUICKSTEP	C09	96			86
MASSELOTTES	U021EA00	63	QUIONO I ET	008	90	TANDEM®	P21	75
METEOR	A071AA02/3,		R			TANDEM® SPEED	P21 SPE	75
IVIETEUN	A071CA00/1	20				TANGO® 8.5 mm	R20AW 050/060	
METEODA		32	R1	E037AA00	120		R20AB 050/060	46
METEORA	A071AA04,	00	R1 Extension Cord		15, 121	TARP	S012AA00	47, 93
	A71DA00/1	32				TIBLOC	B01B	73
MICRO TRAXION	P53	75	R2	E103CA00	120	TIKKA®	E061AA00/1/2/3	117
MINI	P59A	75	RACK	D11	37	TIKKA® CORE	E067AA00/1/2/3	117
MINI MARTEAU	U021BA00	62	RAD LINE 6 mm	R011AA00/1	47	TIKKID®	E091BA00/1	
MINI TRAXION	P054AA00	75	RAD SYSTEM	K011AA00	47, 81			116
Mount for			REGLETTE	P06 1	96	TIKKINA®	E060AA00/1/2/3	116
caving helmet	E55940	120	Replacement foam			TORSE	C026AA00	24
Mount for			for CLUB helmets	A042MB01	33	TOUR	C020BA0/1/2	23
cycling helmet	E55920	121	Replacement foam	7.0 12.11.201		TRANSPORT 45L	S42Y 045	93
Mount for	L00020	121	for Petzl helmets	A042MA00	33	TRIGREST	U016AA00	62
	E55930	101	RESCUE	P50A				
bicyle handlebars		121			75	U		
MULTIHOOK	U002AA00	83	REVERSO®	D017AA00/1/2	37			
NI			RIDE	U04A 45	61	U	65312 65314	84
IN			ROCHER MIXTE	65106 65108 6511		ULTRALEGERE	P00A	75
NANO TRAXION	P053AA00	75	ROCPEC	P26	86	ULTRALIGHT pouch	U003AA00	68
NAO® RL	E105AA00	116	ROCPEC ADP	P26250	86	UNI ADAPT	E000BA00	121
NIMBO	K03AO	89	Rotating floor display	/		UNIVERSEL	P17 5/7/9	84
			for sport headlamps	Z002AE01	122	ONVENCE	1 11 0/1/0	
NEST	S061AA00	94	RUMBA® 8 mm	R21BR 050/060		V		
NOCTILIGHT	E093DA00	120		R21BB 050/060	46	V		
NOMIC	U021AA00	61		2 000/000		V CONIQUE	66007 66011	84
			S			V-LINK	U083AA00	57
						VASAK®	T05A LLU/FL	66
0.070	110404 100	0.5	SAKA	S039BA00/1	92		100/1 LLU/FL	00
ОСТО	U010AA00	83	SAKAB	S037AA00	92	VASAK® crampon	T05A AV	07
OK	M33A SL/TL/BL	55	SAKOVER	S036AA00	92	front sections		67
OMNI	M37 SL/TL	55	SAKAPOCHE	S040AA00/1	92	VERSO	D019AA00/1	37
OSCILLANTE	P02A	75	SAMA	C021BA00/1/2/3	22	VERTIGO	N 4 4 0 A 1 4 7 1 1 1	
OUISTITI	C068AA00	23				WIRE-LOCK	M40A WLU	55
00101111	0000/1/100		SARKEN	T10A LLU	66	VOLTA® 9.2 mm	R35AN 050/060/0	70/080
Р			SARKEN crampon	T104 ***			R35AO 030/050/0	60/
			front sections	T10A AV	67		070/080/100	45
Pack of 6 SPIRIT			SEGMENT 8 mm	R076AA06	47	VOLTA®	R36AO 030/040/0	50/060
carabiners	M061AB01	56	SCORPIO EASHOOI	KL060BA00	79	GUIDE 9 mm	R36AO 080/100	45
PANNE	U19 PAN	62	SCORPIO VERTIGO		79	VOLTIGE	C60	23
PANTIN®	B02CLA B02CRA	73	SELENA	C055BA00/1/2/3	22	VRILLEE	G104AA00	84
PARTNER	P52A	75 75	SHELL L	E93990	120	***************************************	5	
			SHELL LT	E075AA00	120	W		
PASO® GUIDE	R22BG 050/060/070							
7.7 mm	R22BO 050/060/070		SHELL S	E94990	120	WILLIAM	M36A SL/BL	55
PAW S	G063AA00	86	SHUNT	B03B	96			
PERFO SPE	P08	86	SIMBA	C65	23	Υ		
PERSONNEL 15L	S44Y 015	93	SIMPLE	D004AA00	37			
Petzl book	Z180 FR/EN/ES		SIROCCO®	A073AA00/1		YARA CLUB 15	S065AB00	93
	Z18001 FR/EN	97		A073BA00/1	30	YARA GUIDE 25	S065BB00	93
PICCHU	A049AA00/1	32	SIROCCO ADAPT	E103BA00	121			
PICK AND SPIKE	. 10 . 0. 0. 0. 10 0/ 1		SITTA	C011AA00/1/2/3				
PROTECTION	U82003	63			18, 22			
PIRANA CLUB			Sm'D	M39A SL/RL	55			
FIRAINA ULUB	D005BA00/1	38	Sm'D WALL	M39A S	56			
PIRANA GUIDE	D005AB00	38						



Rope Access and Confined Space

Rope access work often involves environments at significant height. Work done in confined spaces entails challenges related to the lack of space and lack of means of autonomous progression.



Tree Care

Not all tree work can be done using exterior means such as elevated platforms or ladders. In this case, to move and work, the arborist uses rope progression techniques.



Framing and Roofing

At this type of work site, the risk of slipping and falling is higher. A fall-arrest system must therefore be installed to guard against these hazards.



Vuedici.ora - Profil - DDTM 13

© 2020 Petzl Distribution -




Self-Rescue


A firefighter who finds themselves trapped inside a burning structure must be prepared for self-evacuation and have the appropriate equipment on hand.



Hazardous Areas

Where there is risk of explosion, the hazardous locations are classified by zone (ATEX and/or HAZLOC). All of the materials used must therefore conform with current regulations for this type of zone.





Maintenance and Workshops

Professionals working at concerts and shows, in workshops, in maintenance, or in the energy and networks sector all require practical and lightweight headlamps on a daily basis.



Tactical, Special Forces

Tactical operations in a hostile environment require maximum safety in every situation, so being able to count on the quality and performance of the equipment is essential.



Exploring New Horizons

Whether climbing a distant summit or exploring the depths below, our desire to access the inaccessible inspires an enduring passion to fulfill our dreams. For over 15 years, the Petzl Foundation's mission has been to support and initiate public interest projects through its activities in mountainous and vertical domains; projects that help bring balance to humankind's place in our natural, cultural, and economic environments.



Encouraging learning and risk management to avoid accidents.



Promoting the preservation of hard-to-access ecosystems.



Contributing to enhanced understanding of best practices in the vertical world.

Mont Blanc Massif — Restoration of a Historic Mountain Refuge

Until 1973, mountaineers attempting to climb the Grépon departed from the bivouac at Tour Rouge, which sat on a ledge at an altitude of 2,820 meters. With room for eight, this small shelter made it possible to climb the first delicate pitches at first light, and then descend the Nantillons glacier in better conditions during the day.

On July 21, 2021, more than 50 years after a large snow mass caused the refuge to collapse, it was reconstructed with the help of a volunteer group of alpinists guided by Jean-Sébastien Knoertzer. The refuge is now equipped with mattresses, blankets, dishes, and gas. A new route to access the refuge has been established to climb the smooth slabs uncovered due to glacial retreat.

The guidebook is available through the accident prevention association, La Chamoniarde. The total budget for the operation, €16,000, was raised with the help of many donors, including the Petzl Foundation.

This ambitious project follows the reconstruction of the neighboring Périades bivouac, carried out in 2020. There are a number of these small bivouacs on the Italian side of the Mont Blanc massif, but they're more rare on the French side. Strategically placed in isolated spots along challenging routes, they offer small islands of refuge, much appreciated by the alpinists that use them. They also offer passionate alpinists the autonomous ascents they crave, totally immersed in the wild and natural landscapes that surround them.

Plans have been made to rebuild the Craveri bivouac on the Peuterey Integrale, the Canzio bivouac on the Grandes Jorasses traverse, and the Charpoua bivouac.



The old Tour Rouge refuge




The new refuge

Project Partner: Cham Community Organization


Country: France Support: €4,000

* https://www.chamoniarde.com/actualites/divers/nouvelle-cabane-tour-rouge



Order products and download information easily

Petzldealer.com, the Petzl retailer website



Easy access to all our offerings:

- Navigate easily and intuitively
- Direct access to our latest products

Manage your products down to the smallest detail:

- Comprehensive information on each product
- Documents to inform and advise your clients

Order with complete peace of mind:

- Thee direct access points to order your products
- Absolute pricing transparency
- Real-time status of Petzl inventories

Track your orders:

- Precise status of your current orders
- Personalized order tracking

Download Information

Quickly find your choice of Petzl information for download.

© PETZL 2022

Product photos

Kalice - www.kalice.fr Aurélie Jeannette Yannick Siegel

Printed by Comptoir des Idées Photos on page 5:

Pflotus of Pages / Person Pers



Catalog printed on recycled paper, made mostly of post-consumer waste. Using nonchlorine bleach, its production respects the environment by reducing energy consumption, as well as air and water pollution.

ACCESS inaccessible®



To find a Petzl retailer near you or anywhere in the world, go to:

www.petzl.com/dealers

- $\ensuremath{\uparrow}$ Sasha Digiulian cruising tufas in Manikia, Greece. © 2021 - Petzl Distribution - Sam Bié
- \downarrow Looking for the trail, Appalachian Trail, USA © 2021 - Petzl Distribution - Jeremiah Watt Photography

Z019EN05

ENGLISH









